

Virtual Laboratories Everywhere

Recra LabNet Philadelphia Analytical Report

Client: TNU HANFORD B99-038

W.O.#: 10985-001-001-9999-00

RFW#: 9903L492

Date Received: 03-19-99

SDG/SAF#: H0362/B99-038

METALS CASE NARRATIVE

1. This narrative covers the analyses of 3 TCLP leachate samples.

- 2. The samples were prepared and analyzed in accordance with methods checked on the attached glossary. All ICP analytes were reported at 10 fold dilutions. With the dilutions, the reporting limit is still less than 5% of the RCRA action limit. Due to high concentrations of Mercury in sample BOTK51, the Mercury result was reported with a 1000 fold dilution.
- 3. All analyses were performed within the required holding times.
- 4. The cooler temperature has been recorded on the Chain of Custody.
- 5. All Initial and Continuing Calibration Verifications (ICV/CCVs) were within the 90-110% control limits.
- 6. All Initial and Continuing Calibration Blanks (ICB/CCBs) were within control limits (less than the PQL).
- 7. All preparation/method blanks (MB) were within method criteria {less than the Practical Quantitation Limit (3X the IDL), less than 5% of the RCRA action limit, or the sample results are greater than 20X MB value}. Refer to the Inorganics Method Blank Data Summary.
- 8. All ICP Interference Check Standards were within control limits.
- 9. The laboratory control sample (LCS) was within the laboratory control limits. Refer to the Inorganics Laboratory Control Standards Report.
- 10. The duplicate analyses were within the 20% Relative Percent Difference (RPD) control limits. Refer to the Inorganics Precision Report.

The results presented in this report relate only to the analytical testing and conditions of the samples at receipt and during storage. All pages of this report are integral parts of the analytical data. Therefore, this report should only be reproduced in its entirety of pages.

001

- 11. The TCLP extract from sample BOTK48 was selected for the matrix spike (MS) for this analytical batch. All MS recoveries were greater than 50% as per method criteria.
- 12. For the purposes of this report, the data has been reported to the Instrument Detection Limit (IDL). Values between the IDL and the Practical Quantitation Limit (PQL) are acquired in a region of less-certain quantification.

J. Michael Taylor

Vice President

Philadelphia Analytical Laboratory

mld/m03-492

3-29-99

Date



METALS METHOD GLOSSARY

The following metal Recra Lot#: 990	hods are used as reference 03L492	e for the digestion a	and analysis of	samples con	tained within this
	re: _1310 _/311 _131	2 _Other:			
CLP Metals Dig	gestion and Analysis M	ethods:ILM03.	0 _ILM04.0		
Metals Digestion M	1ethods:3005A301 Other:	0A _3015 _302	0A3050A	305120	00.7 _SS17
	Other:	· · · · · · · · · · · · · · · · · · ·			
	Me	etals Analysis Me	thods	EDA	
	SW846	EPA	STD MTD	EPA OSWR	USATHAMA
Aluminum	6010B	200.7	SIBINID	05 R	99
Antimony	6010B 7041 ⁵	200.7 204.2			99
Arsenic	6010B 7060A 5	$\frac{200.7}{200.7}$ $\frac{204.2}{206.2}$	3113B		
Barium	6010B	<u></u>			99
Beryllium	6010B	200.7			99
Bismuth	-6010B 1			1620	99
Boron	-6010B	200.7			99
Cadmium	6010B 7131A 5	200.7 213.2			
Calcium	6010B	200.7			99
Chromium	6010B 7191 5	200.7 218.2			
Cobalt	6010B	200.7			₉₉
Copper	6010B 7211 ⁵	200.7 220.2			99
Iron		— 200.7			 99
Lead		200.7 239.2	3113B		99
Lithium	6010B 7430 ⁴		_	1620	<u></u> 99
Magnesium		200.7		_	<u></u> 99
Manganese	6010B	200.7			<u></u> 99
Mercury	7470A ³ 7471A ³	245.1 ² 245.5 ²			<u></u> 99
Molybdenum	6010B	200.7			99
Nickel	6010B				99
Potassium	6010B7610 ⁺	200.7 258.1 4			99
Rare Earths	6010B 1	200.7 ¹		1620	99
Selenium	6010B _7740 ⁵	200.7270.2	3113B		99
Silicon	6010B ¹	200. 7		1620	99
Silica	6010B	200. 7		1620	99
Silver	6010B _7761 ⁵	200.7 272.2			99
Sodium	6010B7770 ⁴	200.7273.1 +			99
Strontium	6010B	200.7			99
Thallium	_6010B _7841 ⁵	200.7279.2	200.9		99
Tin	6010B	200.7			_ 9 9
Titanium	6010B	200.7			_ 99
Uranium	6010B ¹	200.7 ¹		1620	99
Vanadium	6010B	200.7			99
Zinc	6010B	200.7			99
Zirconium	6010B ¹	200.7 1		1620	99
Other:	Metho	od:			003

L-WI-033/M-03/98

METHOD REFERENCES AND DATA QUALIFIERS

DATA QUALIFIERS

- U = Indicates that the parameter was not detected at or above the reported limit. The associated numerical value is the sample detection limit.
- * = Indicates that the original sample result is greater than 4x the spike amount added.

ABBREVIATIONS

MB = Method or Preparation Blank.

MS = Matrix Spike.

MSD = Matrix Spike Duplicate.

REP = Sample Replicate

LCS = Laboratory Control Sample.

NC = Not calculated.

ANALYTICAL METAL METHODS

- 1. Not included in the method element list.
- 2. Modified Hg: Hg1 and Hg2 require less total volume of digestate due to the autosampler analysis. Sample volumes and reagents for mercury determinations in water and soil have been proportionately scaled down to adapt to this semi-automated technique. The sample volume used for water analysis is 33 mL. For soils, 0.1 grams of sample is taken to a final volume of 50 mL (including all reagents).
- 3. Modified Hg: Hg1 and Hg2 require less total volume of digestate due to the autosampler analysis. Sample volumes and reagents for mercury determinations in water and soil have been proportionately scaled down to adapt to this semi-automated technique. The sample volume used for water analysis is 33 mL. For soils, three 0.1 gram of sample is taken to a final volume of 50 mL (including all reagents).
- 4. Flame AA
- 5. Graphite Furnace AA.

RFW 21-21L-033/N-10/96

INORGANICS DATA SUMMARY REPORT 03/25/99

CLIENT: TNU-HANFORD B99-038 RECRA LOT #: 9903L492

					REPORTING	DILUTION
SAMPLE	SITE ID	ANALYTE	RESULT	UNITS	LIMIT	FACTOR
	*********		******		********	******
-004	BOTK48	*Silver, TCLP Leachate	9.0 u	ng/r	9.0	10.0
		Arsenic, TCLP Leachate	33.0 u	T/DU	33.0	10.0
		Barium, TCLP Leachate	593	UG/L	1.0	10.0
		Cadmium, TCLP Leachate	4.0 u	UG/L	4.0	10.0
		Chromium, TCLP Leachate	282	UG/L	6.0	10.0
		Mercury, TCLP Leachate	0.10 u	UG/L	0.10	1.0
		Lead, TCLP Leachate	18.0 u	UG/L	18.0	10.0
		Selenium, TCLP Leachate	36.0 u	UG/L	36.0	10.0
-005	B0TK47	Silver, TCLP Leachate	9.0 u	UG/L	9.0	10.0
		Arsenic, TCLP Leachate	33.0 u	UG/L	33.0	10.0
		Barium, TCLP Leachate	208	UG/L	1.0	10.0
		Cadmium, TCLP Leachate	4.0 u	UG/L	4.0	10.0
		Chromium, TCLP Leachate	6.7	UG/L	6.0	10.0
		Mercury, TCLP Leachate	0.10 u	UG/L	0.10	1.0
		Lead, TCLP Leachate	32.6	ŪG/L	18.0	10.0
		Selenium, TCLP Leachate	36.0 u	ng/r	36.0	10.0
-006	B0TK51	Silver, TCLP Leachate	9.0 u	UG/L	9.0	10.0
		Arsenic, TCLP Leachate	33.0 u	UG/L	33.0	10.0
		Barium, TCLP Leachate	807	UG/L	1.0	10.0
		Cadmium, TCLP Leachate	179	UG/L	4.0	10.0
		Chromium, TCLP Leachate	149	UG/L	6.0	10.0
		Mercury, TCLP Leachate	2720	UG/L	100	1000
		Lead, TCLP Leachate	62.9	UG/L	18.0	10.0
		Selenium, TCLP Leachate	36.0 u	UG/L	36.0	10.0

INORGANICS METHOD BLANK DATA SUMMARY PAGE 03/25/99

CLIENT: TNU-HANFORD B99-03B RECRA LOT #: 9903L492

					REPORTING	DILUTION
SAMPLE	SITE ID	ANALYTE	RESULT	UNITS	LIMIT	FACTOR
	************		******	*****		******
BLANK1	99L0179-MB1	Silver, TCLP Leachate	9.0 u	UG/L	9.0	10.0
		Armenic, TCLP Leachate	33.0 u	UG/L	33.0	10.0
		Barium, TCLP Leachate	1.6	DG/L	1.0	10.0
		Cadmium, TCLP Leachate	4.0 u	UG/L	4.0	10.0
		Chromium, TCLP Leachate	6.0 u	UG/L	6.0	10.0
		Lead, TCLP Leachate	33.7	ΩG/L	18.0	10.0
		Selenium, TCLP Leachate	36.0 u	UG/L	36.0	10.0
BLANK2	99L0179-MB2	Silver, TCLP Leachate	9.0 u	UG/L	9.0	10.0
		Arsenic, TCLP Leachate	33.0 u	UG/L	33.0	10.0
		Barium, TCLP Leachate	103	UG/L	1.0	10.0
		Cadmium, TCLP Leachate	4.0 u	ŪG/L	4.0	10.0
		Chromium, TCLP Leachate	6.0 u	UG/L	6.0	10.0
		Lead, TCLP Leachate	28.5	UG/L	18.0	10.0
		Selenium, TCLP Leachate	36.0 u	UG/L	36.0	10.0
BLANK3	99L0179-MB3	Silver, TCLP Leachate	9.0 u	UG/L	9.0	10.0
		Arsenic, TCLP Leachate	33.0 u	ng/r	33.0	10.0
		Barium, TCLP Leachate	10.7	UG/L	1.0	10.0
		Cadmium, TCLP Leachate	4.0 u	UG/L	4.0	10.0
		Chromium, TCLP Leachate	6.0 u	UG/L	6.0	10.0
		Lead, TCLP Leachate	18.0 u	UG/L	18.0	10.0
		Selenium, TCLP Leachate	36.0 u	UG/L	36.0	10.0
BLANK1	99C0087-MB1	Mercury, Total	0.10 u	UG/L	0.10	1.0
BLANK2	99C0087-MB2	Mercury, TCLP Leachate	0.10 u	UG/L	0.10	1.0
BLANK3	99C0087-MB3	Mercury, TCLP Leachate	0.10 u	UG/L	0.10	1.0

INORGANICS ACCURACY REPORT 03/25/99

CLIENT: TNU-HANFORD B99-038

RECRA LOT #: 9903L492

			SPIKED	INITIAL	SPIKED		DILUTION
SAMPLE	SITE ID	ANALYTE	SAMPLE	RESULT	AMOUNT	%RECOV	Factor (SPK)
*****	***********	************	*=====	******			*======
-004	BOTK48	Silver, TCLP Leachate	5060	9.0 u	5000	101.2	10.0
		Arsenic, TCLP Leachate	5430	33.0 u	5000	108.7	10.0
		Barium, TCLP Leachate	90100	593	100000	89.5	10.0
		Cadmium, TCLP Leachate	1030	4.0 u	1000	103.2	10.0
		Chromium, TCLP Leachat	5390	282	5000	102.2	10.0
		Mercury, TCLP Leachate	179	0.10u	200	89.5	50.0
		Lead, TCLP Leachate	5250	18.0 u	5000	105.0	10.0
		Selenium, TCLP Leachat	1090	36.0 u	1000	109.4	10.0

INORGANICS PRECISION REPORT 03/25/99

CLIENT: THU-HANFORD B99-038

RECRA LOT #: 9903L492

			INITIAL			DILUTION
SAMPLE	SITE ID	ANALYTE	RESULT	REPLICATE	RPD	FACTOR (REP)
******	*************	******				******
-004REP	BOTK48	Silver, TCLP Leachate	9.0 u	9.0 u	NC	10.0
		Arsenic, TCLP Leachate	33.0 u	33.0 u	NC	10.0
		Barium, TCLP Leachate	593	605	2.0	10.0
		Cadmium, TCLP Leachate	4.0 u	4.0 u	NC	10.0
		Chromium, TCLP Leachate	282	287	1.5	10.0
		Mercury, TCLP Leachate	0.10u	0.10u	NC	1.0
		Lead, TCLP Leachate	18.0 u	18.0 u	nc	10.0
		Selenium, TCLP Leachate	36.0 u	36.0 u	NC	10.0

INORGANICS LABORATORY CONTROL STANDARDS REPORT 03/25/99

CLIENT: TNU-HANFORD B99-038 RECRA LOT #: 9903L492

			SPIKED	SPIKED		
SAMPLE	SITE ID	ANALYTE	SAMPLE	THUUMA	UNITS	%RECOV
		**************	******		*****	
LCS1	99L0179-LC1	Silver, LCS	510	500	UG/L	102.1
		Arsenic, LCS	10300	10000	UG/L	103.3
		Barium, LCS	5030	5000	UG/L	100.5
		Cadmium, LCS	251	250	UG/L	100.3
	·	Chromium, LCS	504	500	UG/L	100.7
		Lead, LCS	2560	2500	UG/L	102.6
		Selenium, LCS	10500	10000	UG/L	105.4
LCS1	99C0087-LC1	Mercury, LCS	5.1	5.0	UG/L	101.9

DATE RECEIVED: 03/19/99 RFW LOT # :9903L492

CLIENT ID /ANALYSIS	RFW #	MTX	PREP #	COLLECTION	EXTR/PREP	ANALYSIS
BOTK48						
TCLP	001	so	99LT0028	03/08/99	03/22/99	03/23/99
B0TK47						
TCLP	002	so	99LTO028	03/09/99	03/22/99	03/23/99
B0TK51						
TCLP	003	so	99LT0028	03/09/99	03/22/99	03/23/99
B0TK48						
SILVER, TCLP LEACHAT	004	W	9910179	03/23/99	03/24/99	03/25/99
SILVER, TCLP LEACHAT	004 REP	W	9910179	03/23/99	03/24/99	03/25/99
SILVER, TCLP LEACHAT	004 MS	W	99L0179	03/23/99	03/24/99	03/25/99
ARSENIC, TCLP LEACHA	004	W	9910179	03/23/99	03/24/99	03/25/99
ARSENIC, TCLP LEACHA	004 REP	W	9910179	03/23/99	03/24/99	03/25/99
ARSENIC, TCLP LEACHA	004 MS	W	99L0179	03/23/99	03/24/99	03/25/99
BARIUM, TCLP LEACHAT	004	W	9910179	03/23/99	03/24/99	03/25/99
BARIUM, TCLP LEACHAT	004 REP	W	99L0179	03/23/99	03/24/99	03/25/99
BARIUM, TCLP LEACHAT	004 MS	W	99L0179	03/23/99	03/24/99	03/25/99
CADMIUM, TCLP LEACHA	004	W	9910179	03/23/99	03/24/99	03/25/99
CADMIUM, TCLP LEACHA	004 REP	W	99L0179	03/23/99	03/24/99	03/25/99
CADMIUM, TCLP LEACHA	004 MS	W	9910179	03/23/99	03/24/99	03/25/99
CHROMIUM, TCLP LEACH	004	W	99L0179	03/23/99	03/24/99	03/25/99
CHROMIUM, TCLP LEACH	004 REP	W	9910179	03/23/99	03/24/99	03/25/99
CHROMIUM, TCLP LEACH	004 MS	W	99L0179	03/23/99	03/24/99	03/25/99
MERCURY, TCLP LEACHA	004	W	99C0087	03/23/99	03/23/99	03/24/99
MERCURY, TCLP LEACHA	004 REP	W	99C0087	03/23/99	03/23/99	03/24/99
MERCURY, TCLP LEACHA	004 MS	W	99C0087	03/23/99	03/23/99	03/24/99
LEAD, TCLP LEACHATE	004	W	9910179	03/23/99	03/24/99	03/25/99
LEAD, TCLP LEACHATE	004 REP	W	99L0179	03/23/99	03/24/99	03/25/99
LEAD, TCLP LEACHATE	004 MS	W	99L0179	03/23/99	03/24/99	03/25/99
SELENIUM, TCLP LEACH	004	W	99L0179	03/23/99	03/24/99	03/25/99
SELENIUM, TCLP LEACH	004 REP	W	99L0179	03/23/99	03/24/99	03/25/99

DATE RECEIVED: 03/19/99 RFW LOT # :9903L492

CLIENT ID /ANALYSIS	RFW #	MTX	PREP #	COLLECTION	EXTR/PREP	ANALYSIS
SELENIUM, TCLP LEACH	004 MS	w	9910179	03/23/99	03/24/99	03/25/99
B0TK47						
SILVER, TCLP LEACHAT	005	W	99L0179	03/23/99	03/24/99	03/25/99
ARSENIC, TCLP LEACHA	005	W	99L0179	03/23/99	03/24/99	03/25/99
BARIUM, TCLP LEACHAT	005	W	9910179	03/23/99	03/24/99	03/25/99
CADMIUM, TCLP LEACHA	005	W	99L0179	03/23/99	03/24/99	03/25/99
CHROMIUM, TCLP LEACH	005	W	9910179	03/23/99	03/24/99	03/25/99
MERCURY, TCLP LEACHA	005	W	99C0087	03/23/99	03/23/99	03/24/99
LEAD, TCLP LEACHATE	005	W	9910179	03/23/99	03/24/99	03/25/99
SELENIUM, TCLP LEACH	005	W	9910179	03/23/99	03/24/99	03/25/99
B0TK51						
SILVER, TCLP LEACHAT	006	W	99L0179	03/23/99	03/24/99	03/25/99
ARSENIC, TCLP LEACHA	006	W	99L0179	03/23/99	03/24/99	03/25/99
BARIUM, TCLP LEACHAT	006	W	99L0179	03/23/99	03/24/99	03/25/99
CADMIUM, TCLP LEACHA	006	W	9910179	03/23/99	03/24/99	03/25/99
CHROMIUM, TCLP LEACH	006	W	99L0179	03/23/99	03/24/99	03/25/99
MERCURY, TCLP LEACHA	006	W	9900087	03/23/99	03/23/99	03/24/99
LEAD, TCLP LEACHATE	006	W	99L0179	03/23/99	03/24/99	03/25/99
SELENIUM, TCLP LEACH	006	W	9910179	03/23/99	03/24/99	03/25/99

LAB QC:

SILVER LABORATORY	LC1 BS	W	9910179	N/A	03/24/99	03/25/99
SILVER, TCLP LEACHAT	MB1	W	9910179	N/A	03/24/99	03/25/99
SILVER, TCLP LEACHAT	MB2	W	9910179	N/A	03/24/99	03/25/99
SILVER, TCLP LEACHAT	MB3	W	9910179	N/A	03/24/99	03/25/99
ARSENIC LABORATORY	LC1 BS	W	9910179	N/A	03/24/99	03/25/99
ARSENIC, TCLP LEACHA	MB1	W	9910179	N/A	03/24/99	03/25/99
ARSENIC, TCLP LEACHA	MB2	W	99L0179	N/A	03/24/99	03/25/99
ARSENIC, TCLP LEACHA	MB3	W	9910179	N/A	03/24/99	03/25/99
BARIUM LABORATORY	LC1 BS	W	9910179	N/A	03/24/99	03/25/99
BARIUM, TCLP LEACHAT	MB1	W	9910179	N/A	03/24/99	03/25/99
BARIUM, TCLP LEACHAT	MB2	W	9910179	N/A	03/24/99	03/25/99
BARIUM, TCLP LEACHAT	MB3	W	99L0179	N/A	03/24/99	03/25/99
•				•	• •	• •

DATE RECEIVED: 03/19/99

RFW LOT # :9903L492

CLIENT ID /ANALYSIS	RFW #	MTX	PREP #	COLLECTION	EXTR/PREP	ANALYSIS
CADMIUM LABORATORY	LC1 BS	w	9910179	N/A	03/24/99	03/25/99
CADMIUM, TCLP LEACHA	MB1	W	99L0179	N/A	03/24/99	03/25/99
CADMIUM, TCLP LEACHA	MB2	W	9910179	N/A	03/24/99	03/25/99
CADMIUM, TCLP LEACHA	MDB3	W	9910179	N/A	03/24/99	03/25/99
CHROMIUM LABORATORY	LC1 BS	W	9910179	N/A	03/24/99	03/25/99
CHROMIUM, TCLP LEACH	MB1	W	9910179	N/A	03/24/99	03/25/99
CHROMIUM, TCLP LEACH	MB2	W	9910179	N/A	03/24/99	03/25/99
CHROMIUM, TCLP LEACH	MB3	W	99L0179	N/A	03/24/99	03/25/99
MERCURY LABORATORY	LC1 BS	W	9900087	N/A	03/23/99	03/24/99
MERCURY, TOTAL	MB1	W	99C0087	N/A	03/23/99	03/24/99
MERCURY, TCLP LEACHA	MB2	W	99C0087	N/A	03/23/99	03/24/99
MERCURY, TCLP LEACHA	MDB3	W	9900087	N/A	03/23/99	03/24/99
LEAD LABORATORY	LC1 BS	W	99L0179	N/A	03/24/99	03/25/99
LEAD, TCLP LEACHATE	MB1	W	9910179	N/A	03/24/99	03/25/99
LEAD, TCLP LEACHATE	MB2	W	9910179	N/A	03/24/99	03/25/99
LEAD, TCLP LEACHATE	MB3	W	99L0179	N/A	03/24/99	03/25/99
SELENIUM LABORATORY	LC1 BS	W	99L0179	N/A	03/24/99	03/25/99
SELENIUM, TCLP LEACH	MB1	W	9910179	N/A	03/24/99	03/25/99
SELENIUM, TCLP LEACH	MB2	W	9910179	N/A	03/24/99	03/25/99
SELENIUM, TCLP LEACH	MB3	W	9910179	N/A	03/24/99	03/25/99

9903L492

Custody Transfer Record/Lab Work Request Page 1 of 1

FIELD PERSONNEL: COMPLETE ONLY SHADED AREAS



Client	NU-	Hanford B99-038		Refrige	erator#				3				3	3	+	1		
Est. Final Pr	oj. Sami	pling Date		#/Tune	Container	Liquid		<u> </u>		<u> </u>								
Project # 1	1983	Dling Date 5-001-001-9999-00		w/Type	Containe	Solid			10	Ĺ			T	100	 	-1		T
Project Cont	•			Volume		Liquid			0				17					T
RECRA Proje		A		Voiding	·	Solid			60	Ì			12	60-	-	-4		
ac AD		Del Ata TAT 30 da	us_	Preserv	vatives						<u> </u>		1		Ī			
	11.			ANALY	eee	_		ORG						ORG				
Date Rec'd	- 211:	1/97 Date Due4 1/8/37	L	REQUE	STED		VOA	BNA	Pest/ PCB	F. F.			Metai	l S	ļ			
Account #	T		T	!	1		_		шш	1		RECRA		1	Only	<u> </u>	, 	!
MATRIX CODES:			Matrix QC		}			i		_		TIECHA I	3	1 ~	Ī _	<u> </u>	_•	\top 1
S - Soil	Lab	Client ID/Description	Chosen (✔)	Matrix	Date Collected	Time Collected			8				1	1/2	3	PHO		
SE - Sediment SO - Solid									Sas				Case	(CR. TO	2	20		
SL - Sludge W - Water		0.5146	MS MSD		alchad	110.6					 -	1	P	1)	}			
0 - Oil	001	BOTK48		50	3899	1130		ļ	V /			<u> </u> _	ļ.—	V,	١٧,	V/		_
A - Air DS - Drum	002	47.	_		3999	1930			✓		<u> </u>		ļ.—	✓	\\/,	V		
Solids DL · Drum	013	a 21		<u> </u>	타	0920]				L_		✓			$\perp \perp$
Liquids L - EP/TCLP	004	1 48 telp ax 001		L	<u>*</u>								<u> </u>	<u> </u>				1 1
Leachate WI - Wipe	W5	47 1 1002				- "							1					T
X - Other F - Fish	OUW	2 51 - 003		1		-			i				1					
r · risn	V-												<u> </u>					· — † -
			1 1						 				<u> </u>				.	1
								 				<u> </u>	<u> </u>					
			 		 												-+	}
	نـــــا		DATE/	REVISION	[$\frac{1}{2}$		1		•			L. <u>-</u>	<u> </u>	<u> </u>			<u> </u>
Special Instruct		1/7			. <i>K</i>	lun	. 1	na	tu	X	QC.		1			RA LADI	let Use On	
saft	Back	1-058			•			·						mples Shippe		or	COC Tag	pe was: nton Outer
' ι'	•		·	· · · — - i	2								Ha	and Deli	ivered		Package	N I
					3								Air	rbill # 2	*			kenton Outer Y or N
		COMPOSITE			4								- III		n o Chi			hi on Sample
		WASTE			5								1 '		ed in Go Y or		(Y) or N
				· - · ·	·	·									Indicate		4) Unbro	ken on Yar N
Dailet-1		Booking III			5.		_		- i i						, pselve	d		Cord Present
Reilnquished by	'	Received Date Time R	elingu he by	41C	JIN	AŁ	te	Tim	•		epancies iles Labe	Between	51	Receive	(Y Jor ed Withi			η γ ίογ tect
Dedul	, 			h # 19				-	7	coc	Record?	Y or N		Iding T	pres		Cooler	39 c
UEUM		Soder 3/19/19/0930		4 V 1	-{ - -		N		[]	NOTE A		ري اړي	سر س	("	N	اد Temp	<i>≦7 e</i>

Bechtel Hanford I	nc.	C	IIAIN OF CUS	TODY/S	SAMPL:	E ANALY	'SIS RI	EQUEST	Γ		B99-038- 2 9	Page 1	or C
Collector Douglas L. Bowers	1 GALE		any Contact omas M. Brown	Telepho Sop. 1	ne No. 176-1547			sject Coordi ENT, SJ	nator	Price Code		- L - Data 1	arnaround
Project Designation		Samp	ling Location		70-1347		SA.	F No.		1		45	Days
202-S REDOX Miscellaneous Ice Chest No.	Waste - Other Solid		-S REDOX Lagbook No.					9-038		<u> </u>			
SML 587		ricia	EL-1309 Property No.	7-3				thod of Ship Overnight Ca		ed Fx	. 1		
Shipped To RECRA		Offsio	e Property No.				1311	of Lading//	vir Bill	Nu.			
Lub. Lot. # 4	72						C	01 Z	<u>752</u>	ZAZIL	128		
POSSIBLE SAMPLE HAZAR Media Unknown	DS/REMARKS		Preservation	Cool dC	Notice	COOL 4C							
			Type of Container	aG	aCi	26							1
			No. of Container(s)	1		,						•	
Special Handling and/or Storag Store sample(s) at 4 degrees Celsio			Volume	60ml,	60mf.	com					 		İ
	SAMPLE ANA	LYSIS		PCIIS - BOX2	See item (1) in Special Instructions	SCE HEAD (2) SPOCIAL INST:							
Sample No.	Matrix *	Sample Date	Sample Time			 			 -		-		<u> </u>
BOTK48	Other Solid	38.99	1130	X	X							307	158
BCTK47	11	3-9-9	9 0930	X	X							B07	157
BOTK51	"	3-9-9	9 0920			X						BOT	161
				<u> </u>							+		
CHAIN OF POSSESSION		Sign/Prin	· · · · · · · · · · · · · · · · · · ·		(1) N	IAL INSTRUC	LP) - 1341/6		rca.P) -	13 1-7.170 Sult	fides - 9030	Matrix Soit Water	
SIGALE MALE			ΕX	te-Time		Cyanide - 9010, p			Tcl	P)-131	1/6010	Vapor Other Solid Other Liqui	1
Comparished By	S.19-97/07 Date fine	Received its	ulu 3	te Time 2-9409 te Timo	7) METAI MERLUR	i A (1c	LP) - 1	311/	7470	,, 22.0)	cuesa i spe	
climpished By	Date/Time	Received By	Dat	e lime	_								
SECTION Received by		<u> </u>		ful	<u> </u>			·			1) (Luo	
FINAL SAMPLE Disposal Methor DISPOSITION	nd					Disposed	By			· 	D.st	c Ium	·

)] 4



Virtual Laboratories Everywhere

Recra LabNet Philadelphia Analytical Report

RECEIVED TO LOG IN LOG

Client: TNU-HANFORD B99-038

W.O. #: 10985-001-001-9999-00

RFW#: 9903L492

Date Received: 03-19-99

SDG#: H0362 **SAF#**: B99-038

INORGANIC CASE NARRATIVE

1. This narrative covers the analyses of 2 solid samples.

- 2. The samples were prepared and analyzed in accordance with the methods indicated on the attached glossary.
- 3. Sample holding times as required by the method and/or contract were met with the exception of Total Cyanide and Sulfide.
- 4. The cooler temperature was recorded on the chain-of-custody.
- 5. The method blanks were within method criteria.
- 6. The Laboratory Control Samples (LCS) were within the laboratory control limits. The duplicate LCS for Sulfide was within the 20% Relative Percent Difference (RPD) control limit.
- 7. The matrix spike recoveries were within the 75-125% control limits.
- 8. The replicate analyses were within the 20% RPD control limit with the exception of Sulfide.
- 9. Results for solid samples are reported on a dry weight basis.

J. Michael Taylor

Vice President

Philadelphia Analytical Laboratory

njp\i03-492

The results presented in this report relate only to the analytical testing and conditions of the samples at receipt and during storage. All pages of this report are integral parts of the analytical data. Therefore, this report should only be reproduced in its entirety of 12 pages.

WET CHEMISTRY METHODS GLOSSARY FOR ANALYSIS OF SOIL/SOLID SAMPLES

	<u>ASTM</u>	<u>SW846</u>	OTHER
%Ash	D2216-80		
%Moisture	D2216-80		ILMO4.0 (e)
%Solids			/ILMO4.0 (e)
%Volatile Solids	D2216-80		· · · · · · · · · · · · · · · · · · ·
ASTM Extraction in Water	 D3987-81/85		
BTU	D240-87		
CEC	_	9081	c
Corrosivity _by coupon _by pH		_ 1110 (mod) 9045	,•
Cyanide, Total		<u>√</u> 9010 B	ILMO4.0 (e)
Cyanide, Reactive		_ Sec 7.3	
Density			b
Halides, Extractable Organic			_ EPA 600/4/84-008 (mod)
Halides, Total			EPA 600/4/84-008 (mod)
EP-Toxicity		1310A	
Flash Point		_ 1010	
Ignitability		_ 1010	
Carbon, Total Organic (by LOI)			_ c
Oil and Grease		9071A	
Carbon, Total Organic		_ 9060	_ Lloyd Kahn (mod)
Oxygen Bomb Prep for Anions	D240-87 (mod)	_ 5050	
Petroleum Hydrocarbons, Total Re	coverable	-9071_{C}	_ EPA 418.1 (mod)
pH, Soil		√9045B/xgr 4.24-99	
Sulfide, Reactive		_ Sec 7.3	
Specific Gravity	D1429-76C		
Sulfur, Total		_ 9056	
TCLP		_ 1311	
TCLV		_ 1311	
Synthetic Precipitation Leach		1312	
Chlorine, Total		_ 9056	
Paint Filter		_ 9095	
Other: Sulfide	Method: <u>-51</u>	19030B	_

METHOD REFERENCES AND DATA QUALIFIERS

DATA QUALIFIERS

- U = Indicates that the parameter was not detected at or above the reported limit. The associated numerical value is the sample detection limit.
- * = Indicates that the original sample result is greater than 4x the spike amount added.

ABBREVIATIONS

MB = Method or Preparation Blank.

MS = Matrix Spike.

MSD = Matrix Spike Duplicate.

REP = Sample Replicate

LC = Laboratory Control Sample.

NC = Not calculated.

A suffix of -R, -S, or -T following these codes indicate a replicate, spike or sample duplicate analysis respectively.

ANALYTICAL WET CHEMISTRY METHODS

- 1. ASTM Standard Methods.
- USEPA Methods for Chemical Analysis of Water and Wastes (USEPA 600/4-79-020).
- 3. Test Methods for Evaluating Solid Waste (USEPA SW-846).
- a. Standard Methods for the Examination of Water and Waste, 16 ed., (1989).
- b. Standard Methods for the Examination of Water and Waste, 17 ed., (1983)
- c. <u>Method of Soil Analysis</u>, Part 1, Physical and Mineralogical Methods, 2nd. Ed. (1986)
- d. <u>Method of Soil Analysis</u>, Part 2, Chemical and Microbiological Properties, Am. Soc. Agron., Madison, WI (1965)
- e. USEPA Contract Laboratory Program, Statement of Work for Inorganic Analysis.
- f. Code of Federal Regulations.

RFW 21-21L-034/D-06/96

INORGANICS DATA SUMMARY REPORT 04/26/99

CLIENT: TNU-HANFORD B99-038 RECRA LOT #: 9903L492

					REPORTING	DILUTION
SAMPLE	SITE ID	ANALYTE	RESULT	UNITS	LIMIT	FACTOR
======						========
-001	BOTK48	% Solids	99.3	ŧ	0.01	1.0
		Cyanide, Total	0.50 u	MG/KG	0.50	1.0
		рн	12.1	SOIL PH	0.01	1.0
		Sulfide	38.5	MG/KG	1.0	1.0
-002	BOTK47	% Solids	91.6	+	0.01	1.0
		Cyanide, Total	0.55 u	MG/KG	0.55	1.0
		рн	6.9	SOIL PH	0.01	1.0
		Sulfide	37.9	MG/KG	1.1	1.0

INORGANICS METHOD BLANK DATA SUMMARY PAGE 04/26/99

CLIENT: TNU-HANFORD B99-038

RECRA LOT #: 9903L492

_ .

					REPORTING	DILUTION
SAMPLE	SITE ID	ANALYTE	RESULT	UNITS	LIMIT	FACTOR
======	*======================================			=====		**=====
BLANK10	99LC039A-MB1	Cyanide, Total	0.50 u	MG/KG	0.50	1.0
BLANK10	99LSD016-MB1	Sulfide	1.0 11	MG/KG	1.0	1.0

INORGANICS ACCURACY REPORT 04/26/99

CLIENT: TNU-HANFORD B99-038

RECRA LOT #: 9903L492

			SPIKED	INITIAL	SPIKED		DILUTION
SAMPLE	SITE ID	ANALYTE	SAMPLE	RESULT	AMOUNT	*RECOV	FACTOR (SPK)
======	======================================			**=	======		
~001	BOTK48	Cyanide, Total	5.4	0.50u	5.0	106.6	1.0
-002	BOTK47	Sulfide	877	37.9	961	87.3	1.0
BLANK10	99LSD016-MB1	Sulfide	9.3	1.0 u	10.0	93.0	1.0
		Sulfide MSD	9.7	1.0 u	10.0	97.0	1.0

INORGANICS DUPLICATE SPIKE REPORT 04/26/99

CLIENT: TNU-HANFORD B99-03B RECRA LOT #: 9903L492

WORK ORDER: 10985-001-001-9999-00

SPIKE#1 SPIKE#2

SAMPLE	SITE ID	ANALYTE	*RECOV	*RECOV	*DIFF
32=255=		*	=====		=====
LCS20	99LC039A-LC2	Cyanide, Total LCS	104.0	101.4	2.5
BLANK10	99LSD016-MB1	Sulfide	93.0	97.0	4.2

INORGANICS PRECISION REPORT 04/26/99

CLIENT: TNU-HANFORD B99-038 RECRA LOT #: 9903L492

			INITIAL			DILUTION
SAMPLE	SITE ID	ANALYTE	RESULT	REPLICATE	RPD	FACTOR (REP)
#######	=======================================	=======================================			**=====	
-001REP	BOTK48	Cyanide, Total	0.50u	0.50u	NC	1.0
		Нq	12.1	12.1	0.2	1.0
-002RBP	BOTK47	рн	6.9	6.9	0.3	1.0
		Sulfide	37.9	30.0	23.3	1.0

INORGANICS LABORATORY CONTROL STANDARDS REPORT 04/26/99

CLIENT: TNU-HANFORD B99-038 RECRA LOT #: 9903L492

			SPIKED	SPIKED			
SAMPLE	SITE ID	ANALYTE	SAMPLE	AMOUNT	UNITS	*RECOV	
**====	=======================================	=======================================		======			
LCS10	99LC039A-LC1	Cyanide, Total LCS	2.1	2.0	MG/KG	104.0	
LCS20	99LC039A-LC2	Cvanide, Total LCS	10	10	MG/KG	101.4	

DATE RECEIVED: 03/19/99 RFW LOT # :9903L492

CLIENT ID /ANALYSIS	RFW #	MTX	PREP #	COLLECTION	EXTR/PREP	ANALYSIS
BOTK48						
% SOLIDS TOTAL CYANIDE TOTAL CYANIDE TOTAL CYANIDE PH PH SULFIDE TCLP	001 001 001 REP 001 MS 001 001 REP 001	S0 S0 S0 S0 S0	99L%S045 99LC039A 99LC039A 99LC039A 99LPH031 99LPH031 99LSD016 99LTO028	03/08/99 03/08/99 03/08/99 03/08/99 03/08/99 03/08/99 03/08/99	03/29/99 03/25/99 03/25/99 03/25/99 03/24/99 03/24/99 03/24/99 03/22/99	03/30/99 03/26/99 03/26/99 03/24/99 03/24/99 03/24/99 03/23/99
BOTK47 * SOLIDS TOTAL CYANIDE PH PH SULFIDE SULFIDE SULFIDE TCLP BOTK51	002 002 002 002 REP 002 002 REP 002 MS	\$0 \$0 \$0 \$0 \$0 \$0	99L%S045 99LC039A 99LPH029 99LPH029 99LSD016 99LSD016 99LSD016 99LSD016	03/09/99 03/09/99 03/09/99 03/09/99 03/09/99 03/09/99 03/09/99	03/29/99 03/25/99 03/22/99 03/22/99 03/24/99 03/24/99 03/22/99	03/30/99 03/26/99 03/22/99 03/22/99 03/24/99 03/24/99 03/23/99
TCLP AB QC:	003	so	99LTO028	03/09/99	03/22/99	03/23/99
TOTAL CYANIDE TOTAL CYANIDE TOTAL CYANIDE SULFIDE SULFIDE SULFIDE	LC1 L LC2 L MB1 MB1 MB1 BS MB1 BSD	\$ \$ \$ \$ \$ \$ \$ \$	99LC039A 99LC039A 99LC039A 99LSD016 99LSD016 99LSD016	N/A N/A N/A N/A N/A	03/25/99 03/25/99 03/25/99 03/24/99 03/24/99 03/24/99	03/26/99 03/26/99 03/26/99 03/24/99 03/24/99

RECRA LabNet Use Only

Custody Transfer Record/Lab Work Request Page 1 of 1

9903L492

FIELD PERSONNEL: COMPLETE ONLY SHADED AREAS Client TNU-Hankord B99-038 Refrigerator # 3 Liquid Est. Final Proj. Sampling Date #/Type Container Project # 10985-001-001-9999-00 Solid Liquid Project Contact/Phone # Volume Solid 60 Preservatives ORGANIC INORG ANALYSES Pest/ PCB ö REQUESTED Account # **RECRA LabNet Use Only** Matrix MATRIX OC CODES: Lab Date Time Chosen Client ID/Description Matrix Soil Collected Collected SE - Sediment SO - Solid MS MSD SL - Sludge Water BOTK48 13/8/99 1130 Oil Air - Drum 51 Solids DL - Drum Liquids 48 telp at 001 EP/TCLP Leachate m5 ov F - Fish Run matrix QC Special Instructions: RECRA LabNet Use Only paf# B99-038 Samples were: **COC Tape was:** 1) Shipped Y or 1) Present on Outer Package / Ir N Hand Delivered . . . 2) Unbroken on Outer Package Y or **COMPOSITE** 2) Ambient of Chilled 3) Present on Sample 3) Received in Good Y)or N Condition Y 4) Unbroken on 4) Labels Indicate Sample Y or N Properly Preserved COC Record Present Relinquished Received Date Time Time Discrepancies Between Upon SampleVieci 5) Received Within Samples Labels and Y)or N COC Record? Y or N Holding Tipnes Y or N

Bechtel Hanford	Inc.	CI	HAIN OF CUST	FODY/S	SAMPLI	E ANALY	/SIS R	EQUEST			B99-038- 29	Page 1	17°
Collector Douglas L. Bowers	J GALE		any Contact omas M. Brown	Telepho 509-3	one No. 376-1547			roject Coordina RENT, SJ	ator	Price Cod	de	Data Ti	urnaround
Project Designation 202-S REDOX Miscellaneous		Sampli	ling Location -S REDOX				SA	AF No. 99-038				45	Days
Ice Chest No. 587		Field I	Logbook No.	د ع ———			71	ethod of Shipn		ar.			
Shipped To		Offsite	EL-1309 e Property No.					Overnight Carr Il of Lading/Ai			• •		
RECRA													
Lub Lot # 9	112						(" BC	152	2A211	128		
POSSIBLE SAMPLE HAZAI Media Unknown			Preservation	Cool 4C	None	CCCL 4C							
			Type of Container	aG	aG	a (+							<u> </u>
			No. of Container(s)	Ī	'							-	
Special Handling and/or Stora Store sample(s) at 4 degrees Cels		J	Volume	. 60mt.	60mL	Com		1					
	SAMPLE ANAI	LYSIS		PCBs - 8082	See item (1) in Special Instructions	SPECIAL INST;							
Sample No.	Matrix *	Sample Date	Sample Time	 	 	++		┼──┼					
BOTK48	Other Solid	38.99	1/30	X	X	 					1-1	307	158
BCTK47	11	3-9-99	9 0930	X	X			1					K57
BOTK51	"	3-9-99				X							161
	·							1					
CHAIN OF POSSESSION		Sign/Print	t Names	<u> </u>		TAL INSTRUC		/6010: Mercury (Fra py.	1311 7470 \$	addidos - 9030	Matrix Soil	•
Relinquished By SOCALE MANGE Relinquished By	2 Bate Time 2 3 18 99 110	Received By	·	ate Lime	Fotal	Cyanide - 9010; pl	pH (Soil) - 9	9045				Water Vapor Other Solut	
Relinquished By Relinquished By	Date Time S/9-97/09 Date Time/	Received III		7-940 12-940 Ite Linu	(7))metal ME R CUR	sh (Ic	y 1 cp (7cL 311/7	.PJ ·13 7470	11/6010;	Other Liquid	
Relinquished By	Date/Time	Received By	Dat	nte Time									
LABORATORA Received By SECTION				Litt	le le						[2,3]	ter France	
FINAL SAMPLE Disposal Meth DISPOSITION	thod					Disposed	l By	<u></u> -			· Dat	te Time	



Recra LabNet Philadelphia Analytical Report

W.O.#: 10985-001-001-9999-00

Date Received: 03-19-99

Client: TNU-HANFORD B98-038 **RFW#:** 9903L492

SDG/SAF#: H0362/B98-038

PCB

The set of samples consisted of two (2) solid samples collected on 03-08-99.

The samples and their associated QC samples were extracted on 03-22-99 and analyzed based on SW846, 3rd Edition on 03-25-99. The extraction procedure was based on method 3540 and the extracts were analyzed based on method 8082 for Aroclors only.

The following is a summary of the QC results accompanying the sample results and a description of any problems encountered during their analyses:

- 1. The cooler temperature has been recorded on the chain-of-custody.
- 2. All required holding times for extraction and analysis have been met.
- 3. The samples and their associated QC samples received a sulfuric acid and sulfur cleanup.
- 4. The method blank was below the reporting limits for all target compounds.
- 5. Five (5) of ten (10) obtainable surrogate recoveries were outside acceptance criteria. A copy of the Sample Discrepancy Report (SDR) has been enclosed.
- 6. The blank spike recovery was within acceptance criteria.
- 7. All matrix spike recoveries were within acceptance criteria.
- 8. All initial calibrations associated with this data set were within acceptance criteria.
- 9. All continuing calibration standards analyzed prior to sample extracts were within acceptance criteria.

The results presented in this report relate only to the analytical testing and conditions of the samples at receipt and during storage. All pages of this report are integral parts of the analytical data. Therefore, this report should only be reproduced in its entirety of 10 pages.

10. Sample BOTK47 had a final volume of 60 mLs, due to the matrix spike of the sample. A copy of the Sample Discrepancy Report (SDR) has been enclosed.

/ نظر

J. Michael Taylor

Vice President

Philadelphia Analytical Laboratory

pef\r:\group\data\pcb\03L-492.pcb

04-08-27

Date



Recra LabNet Philadelphia

GLOSSARY OF PESTICIDE/PCB DATA

DATA QUALIFIERS

- U = Indicates that the compound was analyzed for but not detected. The minimum detection limit for the sample (not the method detection limit) is reported with the U (e.g., 10U).
- J = Indicates an estimated value. This flag is used in cases where a target analyte is detected at a level less than the lower quantification level. If the limit of quantification is 10 ug/L and a concentration of 3 ug/L is calculated, it is reported as 3J.
- B = This flag is used when the analyte is found in the associated blank as well as in the sample. It indicates possible/probable blank contamination.
- E = Indicates that the compound was detected beyond the calibration range and was subsequently analyzed at a dilution.
- I = Interference.

ABBREVIATIONS

- BS = Indicates blank spike in which reagent grade water is spiked with the CLP matrix spiking solutions and carried through all the steps in the method. Spike recoveries are reported.
- BSD = Indicates blank spike duplicate.
- MS = Indicates matrix spike.
- MSD = Indicates matrix spike duplicate.
- **DL** = Indicates that recoveries were not obtained because the extract had to be diluted for analysis.
- NA = Not Applicable.
- **DF** = Dilution Factor.
- NR = Not Required.
- SP = Indicates Spiked Compound.



Recra LabNet Philadelphia

GLOSSARY OF PESTICIDE/PCB DATA

- P = This flag is used for a pesticide/Aroclor target analyte when there is greater than 25% difference for detected concentrations between the two GC columns (see Form X). The lower of the two values is reported on Form I and flagged with a "P".
- D = This flag identifies all compounds identified in an analysis at a secondary dilution factor.
- C = This flag applies to a compound that has been confirmed by GC/MS.

RFW #21-21-035/A-03/97



Recra LabNet Philadelphia Sample Discrepancy Report (SDR) SDR #: 99EX 024
Initiator: Denardfoldy RFW Batch: 9903U492 Parameter: 100 Paramete
1. Reason for SDR a. COC Discrepancy Tech Profile Error Client Request Sampler Error on C-O-C Transcription Error Wrong Test Code Other b. General Discrepancy Tech Profile Error Client Request Sampler Error on C-O-C b. General Discrepancy Tech Profile Error Client Request Sampler Error on C-O-C b. General Discrepancy Tech Profile Error Client Request Sampler Error on C-O-C county b. General Discrepancy Tech Profile Error Client Request Sampler Error on C-O-C county cou
2. Known or Probable Causes(s)
matrix effect
3. Discussion and Proposed Action Other Description: Re-log Entire Batch Following Samples: Re-leach _ Re-extract _ Re-digest _ Revise EDD _ Change Test Code to Place On/Take Off Hold (circle) 4. Project Manager Instructionssignature/date:
Concur with Proposed Action Disagree with Proposed Action; See Instruction Include in Case Narrative Client Contacted: Date/Person Add Cancel
5. Final Actionsignature/date: Ulok Uluba Other Explanation: Verified re-[log][leach][extract][digest][analysis] (circle) Included in Case Narrative Hard Copy COC Revised Electronic COC Revised EDD Corrections Completed
When Final Action has been recorded, forward original to QA Specialist for distribution and filing.
Route Distribution of Completed SDR X Initiator X Lab Manager, C Stefanosky i X Project Mgr: Victor Divisor X Section Mgr: Siery/Wesson/Daniels X QA (file): Racioppi Data Management: Feldman Sample Prep: Schnell/Doughty/Kauffman Route Distribution of Completed SDR Metals: Doughty Inorganic: Perrone X GC/LC: Rycklak/Schnell/Lap MS: LeMin/Taylor/Kasdras Log-in: Toder Admin: Soos Other:

Initiator: 6. Cage RFW Batch: 9903C477/9903C492 Parameter: 02CB Date: 4-1-99 Samples: acc Matrix: 4001 Client: TNU Hanton Method: SWEGMCAWWICLPI Prep Batch: 99CB
1. Reason for SDR a. COC Discrepancy _ Tech Profile Error _ Client Request _ Sampler Error on C-O-C _ Transcription Error _ Wrong Test Code _ Other D. General Discrepancy _ Missing Sample/Extract _ Container Broken Wrong Sample Pulled _ Label ID's Illegible _ Hold Time Exceeded _ Insufficient Sample _ Preservation Wrong _ Received Past Hold _ Improper Bottle Type _ Not Amenable to Analysis _ Note: Verified by [Log-In] or [Prep Group] (circle)signature/date: C. QC Problem (Include all relevant specific results; attach data if necessary) BS and UPZ - OD I MSD Nowe Sorrought Cubone Enterior _ TCX recourses were 1288 + 1208, Jenn-t are 28-1188
3. Discussion and Proposed Action Other Description: Re-logEntire BatchFollowing Samples:Re-leachRe-extract Other Description: Re-logRe-logRe-extract
Re-digest Revise EDD Change Test Code to Pláce On/Take Off Hold (circle)
4. Project Manager Instructionssignature/date:
5. Final Actionsignature/date:
When Final Action has been recorded, forward original to QA Specialist for distribution and filing.
Route Distribution of Completed SDR X Initiator X Lab Manager: J. Michael Taylor X Project Mgr: OS GC/LC: Rycklak/Schnell X Section Mgr: Siery/Durke/Daniels X QA (file): Racioppi Data Management: Feldman Sample Prep: Schnell/Doughty/Kauffman Distribution of Completed SDR Metals: Doughty Inorganic: Perrone GC/LC: Rycklak/Schnell MS: LeMin/McIntyre/Taylor/Kasdras Log-in: Toder Admin: Soos Other:

Recra LabNet Philadelphia Sample Discrepancy Report (SDR) SDR #: 996082

Recra LabNet - Lionville Laboratory

PCBs by GC

Report Date: 04/08/99 15:30

Work Order: 10985001001 Page: 1 RFW Batch Number: 9903L492 Client: TNU-HANFORD B99-038 0 PBLKGB PBLKGB BS Cust ID: BOTK48 BOTK48 BOTK48 BOTK47 99LE0345-MB1 99LE0345-MB1 001 MSD 002 RFW#: 001 001 MS Sample SOLID SOLID SOIL SOIL SOLID SOLID Information Matrix: 1.00 1.00 D.F.: 1.00 1.00 1.00 1.00 UG/KG UG/KG UG/KG Units: UG/KG UG/KG UG/KG Tetrachloro-m-xylene 80 왐 110 120 * % D 102 128 * % Surrogate: 108 Decachlorobiphenvl 109 왕 128 * % 134 * % D 133 * % 67 U 660 U 33 IJ 33 11 Aroclor-1016 34 U 67 U 67 Ū 67 U 1300 IJ 67 U 130 U 130 U Aroclor-1221 67 U 67 U 660 IJ 33 U 33 U Aroclor-1232 34 U 67 U 67 U 660 IJ 33 IJ 33 U Aroclor-1242 67 U 33 U 33 U 34 U 67 U U Aroclor-1248 660 34 U 91 왕 92 660 U 33 U 84 욷 Aroclor-1254 67 U 67 U 660 U 33 U 33 U Aroclor-1260 34 U

U= Analyzed, not detected. J= Present below detection limit. B= Present in blank. NR≈ Not reported. NS= Not spiked. %= Percent recovery. D= Diluted out. I= Interference. NA= Not Applicable. *= Outside of EPA CLP QC

DATE RECEIVED: 03/19/99 RFW LOT # :9903L492

CLIENT ID	RFW	#	MTX	PREP #	COLLECTION	EXTR/PREP	ANALYSIS
							
B0TK48	001		so	99LE0345	03/08/99	03/22/99	03/25/99
BOTK48	001	MS	so	99LE0345	03/08/99	03/22/99	03/25/99
B0TK48	001	MSD	so	99LE0345	03/08/99	03/22/99	03/25/99
BOTK47	002		so	99LE0345	03/09/99	03/22/99	03/25/99
LAB QC:							
PBLKGB	MB1		s	99LE0345	N/A	03/22/99	03/25/99
PBLKGB	MB1	BS	S	99LE0345	N/A	03/22/99	03/25/99

RECRA LabNet Use Only

Custody Transfer Record/Lab Work Request Page of 1



9903L492 FIELD PERSONNEL: COMPLETE ONLY SHADED AREAS													Lab									
Client INU-Hanford B99-038						Refrigerator #			T		3	T			3	3-	 	—		\top	6	
Est. Final Proj. Sampling Date						#/Type Container		Liquid														
Project # 10985-001-001-9999-00 Project Contact/Phone #								Solid			10					10c		1				
						Volum	Volume				В				12							
RECRA Project Manager 05						-		Solid	ļ		60	ļ			12	60-	╪═╌	+4			┦—	
ac Apel Del std TAT 30 day							Preser		ļ	000	ANIIC	ļ			13		 	$\downarrow \downarrow \downarrow$	-		↓	
OC Apel Del Ata TAT 30 day Date Rec'd 3/19/49 Date Due 4/18/99						ANALYSES REQUESTED			V O∧	BNA ANG	Pest PCB PCB	Ę.			Metal	ORG Z	1					
Account #						<u> </u>	<u> </u>	1	1	 	ш.	<u> </u>					abNet Use Only			1		<u> —</u>
MATRIX CODES: S - Soil SE - Sediment	Lab iD	Client ID/Description		Matrix QC Chosen (~)		Matrix	Date Collected	Time ed Collected			Sas				COAR		17.6.6 18.50 18.50					
SO - Solid SL - Sludge					MS MSD		1				18	6				Ø	18	K,	8 2			
W - Water O - Oil	וטט	BOTK	48				50	3/8/99	1/30			V,					V.	\\lambda	V,			
A - Air DS - Drum	002	,	17					3999	0430			1					V	$\prod \int_{\mathcal{A}}$	V			
Solids DL - Drum	013	4	51				1	4	0920													
Liquids L - EP/TCLP	004	1 48 telpak 001					L	*	-							V	-					
Leachate WI - Wipe	1:05	4	7	002					-							1						
X - Other F - Fish	OUW	d 5	1 -4	- 003			4	سلند								V						
					<u>.</u>																	
					<u> </u> i			<u> </u>									<u> </u>					
																		<u> </u>				<u> </u>
Special Instructions: DATE/R						REVISIO	NS:	RILM	,	na	tro	X	OC				REC	:RA Lab	Net Use O	nly		
paf# B99-038						1. Run matrix QC									1) Ha	Samples were COC Tape was: 1) Shipped or 1) Present on Outer Hand Delivered Package Y or N						
COMPOSITE WASTE					3										Airbill # 2) Unbroken on Ouler Package Y or N 2) Ambient o Chilled 3) Received in Good Condition Y or N							
					4								- 1									
							5								Co	4) Unbroken o						
Dellaculation		Decelued						6				-	· · · · ·				operly f	Proserv	ed		Y) or ecord Pre	
Relinquished Received Date Time Relinquished by						<u> </u>		NA	ate	e Time		Discrepancies Between Samples Labels and			5)	Y for N 5) Received Within			Upon Sample Flect			
1) 21/1		<i></i>	2/0/00	#01.5			. L					71			Y or N		oldina T			01	~~~	• •

Bechtel Hanford l	Inc.	CF	IAIN OF CUST	FODY/S	AMPLI	E ANALYS	SIS REQU	EST	В9	9-038- 29	Page 1	of <u>I</u>			
Collector Douglas L. Bowers) GALE		ny Contact nas M. Brown	Telepho 509-3	ne No. 76-1547	_	Project Co TRENT, S	oordinater J	Price Code		Data Turnaround				
Project Designation 202-S REDOX Miscellaneous			ng Location S. REDOX			<u></u>	SAF No. B99-038	-			45	Days			
lea Chast No	Waste - Office Solid	Field L	ogbook No.				Method of	Shipment		•	<u></u> _				
SML 587 Shipped To RECRA	.	Offsite	EL-/309 Property No.	- 5		<u> </u>		Overnight Carrier - Fed Ex Bill of Lading/Air Bill No.							
Lub. Lot. # 9	72	<u> </u>					COA	RP15	2A211'	28'					
POSSIBLE SAMPLE HAZAI Media Unknown			Preservation	Cool 4C	None	cock 40									
			Type of Container	aG	aG	a (-									
			No. of Container(s)	1	1	1									
Special Handling and/or Store Store sample(s) at 4 degrees Cels		Volume	60mL	60m1.	Com										
	SAMPLE ANAI	LYSIS		PCBs - 8082	See item (1) in Special Instructions	SCE ITEM (2) SPECIAL INST,									
Sample No.	Matrix *	Sample Date	Sample Time						,						
BOTK48	Other Solid	38.99	1130	X	X						307	158			
BCTK47		3-9-9	9 0930	X	X						<i>B07</i>	K57			
BOTK51	"	3-9-9	9 0920		· -	X					BOT	K61			
											Matrix				
CHAIN OF POSSESSION Relimpnished By		ite Time	SPECIAL INSTRUCTIONS (1) Metals by ICP (TCLP) - 4341/6010; Mercury (TCLP) - 1341/7470, Sulfides - 9030, Total Cyanide - 9010; pH (Soil) - 9045												
SJCALE VILLE	3 18 99 116 Date Time /	Received By 2	EX Da	ite Lime	—(z) M = TAL ME R WR	S By 19	P (TC	LP) -1311,	1601C;	Other Solid Other Unjoid				
Relinquished By Relinquished By	S.19-97/07 Date line	Received By		17-9409 ite Time	7	MERCUR	A (ICTL)	1-1311/	7470	- 1					
Relinquished By	Date/Time	Received By	ed By Date Time												
FABORATORY Received By SECTION				Fit	le .					11.	de Linie				
FINAL SAMPLE Disposal Med DISPOSITION	hod					Disposed fi),			D.a	de finie				

Thermo Nutech W.O. No. N9-03-098-7101 Bechtel Hanford Inc. SDG H0362

Case Narrative

1.0 GENERAL

Bechtel Hanford Inc. Sample Delivery Group H0362 is comprised of four solid (resin) samples designated under SAF No. B99-038 with a Project Designation of: 202-S REDOX Miscellaneous Waste - Other Solid.

The samples were received as stated on the Chain-of-Custody documents. Any discrepancies are noted on the TNU Sample Receipt Checklist. Gross Alpha, Gross Beta and Isotopic Uranium results were reported via fax on April 13, 1999; Isotopic Plutonium and Gamma Spec results were reported via fax on April 15, 1999; Total Strontium was reported via fax on April 13 and 15, 1999 and Technetium-99 results were transmitted to BHI via fax on May 21, 1999.

2.0 ANALYSIS NOTES

2.1 Nickel-63 Analyses

No problems were encountered during the processing of the samples.

2.2 Total Strontium Analyses

No problems were encountered during the processing of the samples.

2.3 Isotopic Plutonium Analyses

The aliquot for the analysis was reduced however this did not affect achieving the required LLD. No problems were encountered during the processing of the samples.

2.4 Gamma Scan Analyses

The aliquot for the analysis was reduced due to the sample matrix. This reduced aliquot resulted in an increase in the MDA achieve for the analyses. No problems were encountered during the processing of the samples.

2.5 Isotopic Uranium Analyses

No problems were encountered during the processing of the samples.

2.6 Americium-241 Analyses

No problems were encountered during the processing of the samples.



SAMPLE DELIVERY GROUP H0362

SDG 7101
Contact L.A. Johnson

SAMPLE SUMMARY

Client Hanford

Contract TRB-SBB-207925

Case no SDG-H0362

CLIENT SAMPLE ID	LOCATION	MATRIX	LEVEL	LAB SAMPLE ID	SAF NO	CHAIN OF CUSTODY	COLLECTED
BOTK47	202-S REDOX	SOLID		N903098-01	B99-038	B99-038-19	03/09/99 09:3
B0TK48	202-S REDOX	SOLID		N903098-02	B99-038	B99-038-19	03/08/99 11:3
B0TK49	202-S REDOX	SOLID		N903098-03	B99-038	B99-038-18	03/09/99 10:3
BOTK50	202-S REDOX	SOLID		N903098-04	B99-038	B99-038-18	03/09/99 10:1
Method Blank		SOLID		N903098-06	B99-038		
Method Blank		SOLID		N903098-09	B99-038		
Lab Control Sample		SOLID		N903098-05	B99-038		
Lab Control Sample		SOLID		N903098-08	B99-038		
Duplicate (N903098-01)	202-S REDOX	SOLID		N903098-07	B99-038		03/09/99 09:3
Duplicate (N903098-01)	202-S REDOX	SOLID		N903098-10	B99-038		03/09/99 09:3

SAMPLE SUMMARY
Page 1

SUMMARY DATA SECTION

Page 3

Lab id <u>TMANC</u>

Protocol <u>Hanford</u>

Version <u>Ver 1.0</u>

Form <u>DVD-CS</u>

Version <u>3.06</u>

Report date <u>05/21/99</u>

SAMPLE DELIVERY GROUP H0362

QC SUMMARY

Client <u>Hanford</u>

Contract TRB-SBB-207925

Case no SDG-H0362

QC BATCH	CHAIN OF	CLIENT SAMPLE ID	MATRIX	% SOLIDS	SAMPLE	BASIS AMOUNT	DAYS S		LAB SAMPLE ID	DEPARTMENT SAMPLE ID
7101	B99-038-18	B0TK49 B0TK50	SOLID	100.0			03/19/99	10	N903098-03 N903098-04	7101-003 7101-004
	B99-038-19	BOTK47 BOTK48	SOLID SOLID	100.0			03/19/99 03/19/99	10 11	N903098-01 N903098-02	7101-001 7101-002
		Method Blank Method Blank Lab Control Sample Lab Control Sample Duplicate (N903098-01) Duplicate (N903098-01)	SOLID SOLID SOLID SOLID SOLID	100.0			03/19/99 03/19/99	10 10	N903098-06 N903098-09 N903098-05 N903098-08 N903098-07	7101-006 7101-009 7101-005 7101-008 7101-007 7101-010

QC SUMMARY

Page 1

SUMMARY DATA SECTION

Page 4

SDG <u>7101</u>

Contact L.A. Johnson

Lab id TMANC

Protocol Hanford

Version Ver 1.0

Form DVD-QS

Version 3.06

Report date 05/21/99

SAMPLE DELIVERY GROUP H0362

SDG	7101
Contact	L.A. Johnson

PREP BATCH SUMMARY

Client Hanford

Contract TRB-SBB-207925

Case no SDG-H0362

			PREPARATION	ERROR			∽ PLÆ	NCHETS A	ANALYZ	ED	QUALI-
TEST	MATRIX	METHOD	ВАТСН	2σ %	CLIENT	MORE	RE	BLANK	rcs	DUP/ORIG MS/ORIG	FIERS
Alpha	Spectros	сору									
ΡÜ	SOLID	Plutonium, Isotopic in Solids	6880-010	5.0	4			1	1	1/1	
U	SOLID	Uranium, Isotopic in Soil	6880-010	5.0	4			1	1	1/1	
Beta	Counting										
SR	SOLID	Total Strontium in Soil	6880-010	10.0	4			1	1	1/1	
TC	SOLID	Technetium 99 in Soil	6880-010	10.0	4			1	1	1/1	
Gas F	roportion	al Counting	***	•							
A08	SOLID	Gross Alpha in Soil	6880-010	20.0	4			1	1	1/1	
80B	SOLID	Gross Beta in Soil	6880-010	15.0	4			1	1	1/1	
Gamma	Spectros	сору									
GAM	SOLID	Gamma Scan	6880-010	15.0	4			1	1	1/1	

Duplicates and Matrix Spikes are those with original (Client) sample in this Sample Delivery Group. Blank and LCS planchets are those in the same preparation batch as some Client, Duplicate or Spike sample.

PREP BATCH SUMMARY
Page 1
SUMMARY DATA SECTION
Page 5

Lab id <u>TMANC</u>
Protocol <u>Hanford</u>
Version <u>Ver 1.0</u>
Form <u>DVD-PBS</u>
Version <u>3.06</u>
Report date <u>05/21/99</u>

SAMPLE DELIVERY GROUP H0362

WORK SUMMARY

Client <u>Hanford</u> Contract TRB-SBB-207925

Case no SDG-H0362

CLIENT SAMPLE	ID	MATRIX	LAB SAMPLE ID COLLECTED			SUF-				
CUSTODY	SAF No		RECEIVED	PLANCHET	TEST	FIX	ANALYZED	REVIEWED	BY	METHOD
B0TK47			N903098-01	7101-001	80A/80		04/12/99	05/21/99	TAH	Gross Alpha in Soil
202-S REDOX		SOLID	03/09/99	7101-001	80B/80		04/12/99	05/21/99	TAH	Gross Beta in Soil
B99-038-19	B99-038		03/19/99	7101-001	GAM		04/06/99	05/21/99	TAH	Gamma Scan
				7101-001	PU		04/13/99	05/21/99	TAH	Plutonium, Isotopic in Solids
				7101-001	SR		04/09/99	05/21/99	HAT	Total Strontium in Soil
				7101-001	TC	Al	05/19/99	05/21/99	TAH	Technetium 99 in Soil
				7101-001	U		04/07/99	05/21/99	TAH	Uranium, Isotopic in Soil
BOTK48			N903098-02	7101-002	80A/80		04/12/99	05/21/99	TAH	Gross Alpha in Soil
202-S REDOX		SOLID	03/08/99	7101-002	80B/80		04/12/99	05/21/99	TAH	Gross Beta in Soil
B99-038-19	B99-038		03/19/99	7101-002	GAM		04/14/99	05/21/99	TAH	Gamma Scan
				7101-002	PÜ		04/13/99	05/21/99	TAH	Plutonium, Isotopic in Solids
				7101-002	SR		04/09/99	05/21/99	HAT	Total Strontium in Soil
				7101-002	TC	A1	05/18/99	05/21/99	TAH	Technetium 99 in Soil
				7101-002	U		04/08/99	05/21/99	TAH	Uranium, Isotopic in Soil
B0TK49			N903098-03	7101-003	80A/80		04/13/99	05/21/99	TAH	Gross Alpha in Soil
202-S REDOX		SOLID	03/09/99	7101-003	80B/80		04/13/99	05/21/99	HAT	Gross Beta in Soil
B99-038-18	B99-038		03/19/99	7101-003	GAM		04/06/99	05/21/99	TAH	Gamma Scan
				7101-003	PU		04/13/99	05/21/99	TAH	Plutonium, Isotopic in Solids
				7101-003	SR		04/09/99	05/21/99	TAH	Total Strontium in Soil
				7101-003	TC	A1	05/17/99	05/21/99	TAH	Technetium 99 in Soil
				7101-003	Ŭ		04/07/99	05/21/99	TAH	Uranium, Isotopic in Soil
BOTK50			N903098-04	7101-004	80A/80		04/12/99	05/21/99	TAH	Gross Alpha in Soil
202-S REDOX		SOLID	03/09/99	7101-004	80B/80		04/12/99	05/21/99	TAH	Gross Beta in Soil
B99-038-18	B99-038		03/19/99	7101-004	GAM		04/06/99	05/21/99	TAH	Gamma Scan
				7101-004	PÜ		04/13/99	05/21/99	TAH	Plutonium, Isotopic in Solids
				7101-004	SR		04/09/99	05/21/99	TAH	Total Strontium in Soil
				7101-004	TC	Al	05/18/99	05/21/99	HAT	Technetium 99 in Soil
				7101-004	U		04/07/99	05/21/99	TAH	Uranium, Isotopic in Soil
Method Blank			N903098-06	7101-006	80A/80		04/12/99	05/21/99	ТАН	Gross Alpha in Soil
		SOLID		7101-006	80B/80		04/12/99	05/21/99	TAH	Gross Beta in Soil
	B99-038			7101-006	GAM		04/06/99	05/21/99	TAH	Gamma Scan
				7101-006	PU		04/14/99	05/21/99	TAH	Plutonium, Isotopic in Solids
				7101-006	SR		04/09/99	05/21/99	TAH	Total Strontium in Soil
				7101-006	U		04/07/99	05/21/99	TAH	Uranium, Isotopic in Soil

WORK SUMMARY Page 1 SUMMARY DATA SECTION Page 6

SDG 7101

Contact L.A. Johnson

Lab id TMANC Protocol <u>Hanford</u> Version Ver 1.0 Form DVD-CWS Version 3.06 Report date <u>05/21/99</u>

SAMPLE DELIVERY GROUP H0362

SDG 7101
Contact L.A. Johnson

WORK SUMMARY, cont.

Client <u>Hanford</u>

Contract TRB-SBB-207925

Case no SDG-H0362

CLIENT SAMPI LOCATION CUSTODY	E ID SAF No	MATRIX	LAB SAMPLE ID COLLECTED RECEIVED	PLANCHET	TEST	SUF- FIX	ANALYZED	REVIEWED	BY	METHOD
Method Blank			N903098-09	7101-009	TC		05/18/99	05/21/99	TAH	Technetium 99 in Soil
		SOLID								
	B99-038									
Lab Control	Sample		N903098-05	7101-005	80A/80		04/12/99	05/21/99	TAH	Gross Alpha in Soil
		SOLID		7101-005	80B/80		04/12/99	05/21/99	TAH	Gross Beta in Soil
	B99-038			7101-005	GAM		04/14/99	05/21/99	TAH	Gamma Scan
				7101-005	PU		04/13/99	05/21/99	TAH	Plutonium, Isotopic in Solids
				7101-005	SR		04/09/99	05/21/99	TAH	Total Strontium in Soil
				7101-005	U		04/07/99	05/21/99	HAT	Uranium, Isotopic in Soil
Lab Control	Sample		N903098-08	7101-008	TC		05/17/99	05/21/99	TAH	Technetium 99 in Soil
	B99-038	SOLID								
Duplicate (1903098-01)		N903098-07	7101-007	80A/80		04/12/99	05/21/99	TAH	Gross Alpha in Soil
202-S REDOX		SOLID	03/09/99	7101-007	80B/80		04/12/99	05/21/99	TAH	Gross Beta in Soil
	B99-038		03/19/99	7101-007	GAM		04/14/99	05/21/99	TAH	Gamma Scan
				7101-007	PU		04/13/99	05/21/99	TAH	Plutonium, Isotopic in Solids
				7101-007	SR		04/09/99	05/21/99	HAT	Total Strontium in Soil
				7101-007	U		04/07/99	05/21/99	HAT	Uranium, Isotopic in Soil
Duplicate (I	N903098-01)		N903098-10	7101-010	TC		05/17/99	05/21/99	TAH	Technetium 99 in Soil
202-S REDOX		SOLID	03/09/99							
	B99-038		03/19/99							

WORK SUMMARY
Page 2
SUMMARY DATA SECTION
Page 7

Lab id TMANC

Protocol Hanford

Version Ver 1.0

Form DVD-CWS

Version 3.06

Report date 05/21/99

SAMPLE DELIVERY GROUP H0362

SDG 7101
Contact L.A. Johnson

WORK SUMMARY, cont.

Client Hanford

Contract TRB-SBB-207925

Case no SDG-H0362

TEST	SAF No	COUNTS OF	TESTS BY	SAMPLE TYPE CLIENT MORE	RE BLANK	LCS	DUP SPIKE	TOTA
80A/80	B99-038	Gross Alpha in Soil	EPA900.0	4	1	1	1	7
80B/80	B99-038	Gross Beta in Soil	EPA900.0	4	1	1	1	7
GAM	B99-038	Gamma Scan	GAMMAHI	4	1	1	1	7
PU	B99-038	Plutonium, Isotopic in Solids	PUPLATE	4	1	1	1	7
SR	B99-038	Total Strontium in Soil		4	1	1	1	7
TC	B99-038	Technetium 99 in Soil	TC99TRLSC	4	1	1	1	7
U	B99-038	Uranium, Isotopic in Soil	UPLATE	4	ı	1	1	7
TOTALS				28	7	7	7	49

WORK SUMMARY
Page 3
SUMMARY DATA SECTION
Page 8

Lab id <u>TMANC</u>

Protocol <u>Hanford</u>

Version <u>Ver 1.0</u>

Form <u>DVD-CWS</u>

Version <u>3.06</u>

Report date <u>05/21/99</u>

N903098-06

METHOD BLANK

Method Blank

SDG 7101 Contact L.A. Johnson	Client/Case no <u>Hanford</u> SDG-H0362 Case no <u>TRB-SBB-207925</u>
Lab sample id N903098-06 Dept sample id 7101-006	Client sample id Method Blank Material/Matrix SOLID SAF No B99-038

ANALYTE	CAS NO	RESULT pCi/g	2σ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI- FIERS	TEST
Gross Alpha	12587-46-1	-0.969	1.0	3.2	10	U	80A
Gross Beta	12587-47-2	-1.82	4.3	7.4	10	U	80B
Uranium 233/234	U-233/234	0.032	0.032	0.062	0.30	Ŭ	U
Uranium 235	15117-96-1	0	0.020	0.075	0.30	U	U
Uranium 238	U-238	0	0.016	0.062	0.30	U	υ
Plutonium 238	13981-16-3	-0.004	0.012	0.030	0.050	U	PU
Plutonium 239/240	PU-239/240	0.042	0.020	0.022	0.050	J	ΡŪ
Total Strontium	SR-RAD	0.010	0.11	0.18	1.0	U	SR
Potassium 40	13966-00-2	Ū		0.10		U	GAM
Cobalt 60	10198-40-0	U		0.009	0.050	U	GAM
Cesium 137	10045-97-3	υ		0.009	0.050	U	GAM
Europium 152	14683-23-9	υ		0.030	0.10	U	GAM
Europium 154	15585-10-1	U		0.030	0.10	Ŭ	GAM
Europium 155	14391-16-3	U		0.020	0.10	ប	GAM
Americium 241	14596-10-2	υ		0.010		U	GAM
Uranium 238	U-238	U		1.0		U	GAM
Uranium 235	15117-96-1	Ŭ		0.030		บ	GAM

202-S REDOX Misc. Waste-Other Solid

QC-BLANK 30389

METHOD BLANKS
Page 1
SUMMARY DATA SECTION
Page 9

Lab id <u>TMANC</u>

Protocol <u>Hanford</u>

Version <u>Ver 1.0</u>

Form <u>DVD-DS</u>

Version <u>3.06</u>

Report date <u>05/21/99</u>

N903098-09

METHOD BLANK

Method Blank

	7101 L.A. Johnson	Client/Case no Case no	Hanford TRB-SBB-207925	SDG-H0362
Lab sample id Dept sample id		Client sample id Material/Matrix SAF No	• • • • • • • • • • • • • • • • • • • •	SOLID

ANALYTE	CAS NO	RESULT pCi/g	2σ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI- FIERS	TEST
Technetium 99	14133-76-7	-0.060	0.19	0.27	0.50	U	TC

202-S REDOX Misc. Waste-Other Solid

|--|--|

METHOD BLANKS
Page 2
SUMMARY DATA SECTION
Page 10

Lab id TMANC

Protocol Hanford

Version Ver 1.0

Form DVD-DS

Version 3.06

Report date 05/21/99

SAMPLE DELIVERY GROUP H0362

N903098-05

LAB CONTROL SAMPLE

Lab Control Sample

SDG 7101 Contact L.A. Johnson	Client/Case no <u>Hanford</u> <u>SDG-H0362</u> Case no <u>TRB-SBB-207925</u>
Lab sample id N903098-05	Client sample id <u>Lab Control Sample</u>
Dept sample id <u>7101-005</u>	Material/MatrixSOLID
	SAF No <u>B99-038</u>

ANALYTE	RESULT pCi/g	2σ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI- FIERS	TEST	ADDED pCi/g	2σ ERR pCi/g	REC %	3σ LMTS (TOTAL)	PROTOCOL LIMITS
Gross Alpha	193	15	4.0	10	,	A08	216	8.6	89	71-129	80-120
Gross Beta	244	11	5.8	10		80B	252	10	97	76-124	80-120
Uranium 233/234	4.62	0.52	0.25	0.30		U	4.95	0.20	93	82-118	80-120
Uranium 235	3.61	0.45	0.065	0.30		υ	4.04	0.16	89	81-119	80-120
Uranium 238	5.04	0.55	0.23	0.30		υ	5.10	0.20	99	81-119	80-120
Plutonium 238	5.47	0.50	0.028	0.050		PU	5.66	0.23	97	84-116	80-120
Plutonium 239/240	5.60	0.51	0.028	0.050	В	PU	5.95	0.24	94	84-116	80-120
Total Strontium	14.2	0.46	0.20	1.0		SR	12.6	0.50	113	81-119	
Cesium 137	0.380	0.014	0.008	0.050		GAM	0.381	0.015	100	76-124	80-120

202-S REDOX Misc. Waste-Other Solid

LAB CONTROL SAMPLES
Page 1
SUMMARY DATA SECTION
Page 11

Lab id TMANC

Protocol Hanford

Version Ver 1.0

Form DVD-LCS

Version 3.06

Report date 05/21/99

SAMPLE DELIVERY GROUP H0362

N903098-08

LAB CONTROL SAMPLE

Lab Control Sample

SDG 7101 Contact L.A. Johnson	Client/Case no <u>Hanford</u> <u>SDG-H0362</u> Case no <u>TRB-SBB-207925</u>
Lab sample id <u>N903098-08</u>	Client sample id <u>Lab Control Sample</u>
Dept sample id 7101-008	Material/MatrixSOLID
	SAF No <u>B99-038</u>

ANALYTE	RESULT pCi/g	2σ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI- FIERS	TEST	ADDED pCi/g	2σ ERR pCi/g	REC	3σ LMTS (TOTAL)	PROTOCOL LIMITS
Technetium 99	34.1	1.0	0.30	0.50		TC	38.2	1.5	89	85-115	80-120

202-S REDOX Misc. Waste-Other Solid

00 100 30303		
QC-LCS 30707		

LAB CONTROL SAMPLES
Page 2
SUMMARY DATA SECTION
Page 12

Lab id <u>TMANC</u>

Protocol <u>Hanford</u>

Version <u>Ver 1.0</u>

Form <u>DVD-LCS</u>

Version <u>3.06</u>

Report date <u>05/21/99</u>

N903098-07

SAMPLE DELIVERY GROUP H0362

DUPLICATE

BOTK47

SDG 7101 Contact L.A. Johnson		Client/Case no <u>Hanford</u> Case no <u>TRB-SBB-</u> 2	SDG-H0362
DUPLICATE	ORIGINAL		
Lab sample id <u>N903098-07</u>	Lab sample id N903098-01	Client sample id BOTK47	
Dept sample id 7101-007	Dept sample id 7101-001	Location/Matrix 202-S RED	OX SOLID
	Received <u>03/19/99</u>	Collected <u>03/09/99</u>	09:30
% solids <u>100.0</u>	% solids 100.0	Custody/SAF No B99-038-1	9 B99-038

ANALYTE	DUPLICATE pCi/g	2σ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI- FIERS	TEST	ORIGINAL pCi/g	2σ ERR (COUNT)	MDA pCi/g	QUALI- FIERS	RPD	3σ TOT	PROT
Gross Alpha	-0.526	0.66	2.1	10	U	A08	0.098	1.1	2.4	ט	-		
Gross Beta	-0.780	3.5	6.2	10	U	80B	-2.96	4.1	7.3	U	-		
Uranium 233/234	0	0.015	0.057	0.30	ט	υ	0.024	0.032	0.061	U	-		
Uranium 235	0	0.018	0.069	0.30	U	υ	0	0.019	0.074	U	-		
Uranium 238	0.007	0.015	0.057	0.30	U	υ	0.016	0.016	0.061	U	-		
Plutonium 238	o	0.020	0.047	0.050	U	PU	0.005	0.018	0.035	U	-		
Plutonium 239/240	-0.010	0.020	0.054	0.050	U	PU	0	0.018	0.043	U	-		
Total Strontium	0.051	0.11	0.19	1.0	U	SR	-0.008	0.15	0.21	U	-		
Potassium 40	Ū		1.0		U	GAM	U		1.6	U	-		
Cobalt 60	U		0.10	0.050	U	GAM	U		0.11	U	-		
Cesium 137	U		0.090	0.050	U	GAM	Ü		0.089	U	-		
Europium 152	บ		0.30	0.10	U	GAM	U		0.23	U	-		
Europium 154	υ		0.30	0.10	U	GAM	U		0.27	υ	-		
Europium 155	υ		0.20	0.10	U	GAM	U		0.22	U	-		
Radium 226	υ			0.10	J	GAM	U		0.23	U	0	212	
Americium 241	υ		0.090		U	GAM	U		0.22	U	-		
Uranium 238	ŭ		10		U	GAM	ŭ		11	Ū	-		
Uranium 235	U		0.30		u	GAM	υ		0.34	U	_		

202-S REDOX Misc. Waste-Other Solid

QC-DUP#1 30390		

DUPLICATES
Page 1
SUMMARY DATA SECTION
Page 13

Lab id TMANC

Protocol Hanford

Version Ver 1.0

Form DVD-DUP

Version 3.06

Report date 05/21/99

SAMPLE DELIVERY GROUP H0362

N903098-10

DUPLICATE

BOTK47

SDG 7101		Client/Case no	Hanford	SDG	-H0362
Contact L.A. Johnson		Case no	TRB-SBB-207925		
DUPLICATE	ORIGINAL				
Lab sample id N903098-10	Lab sample id <u>N903098-01</u>	Client sample id	BOTK47		
Dept sample id 7101-010	Dept sample id <u>7101-001</u>	Location/Matrix	202-S REDOX		SOLID
	Received 03/19/99	Collected	03/09/99 09:30		
	% solids 100.0	Custody/SAF No	B99-038-19	B99-038	

ANALYTE	DUPLICATE pCi/g	2σ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI- FIERS	TEST	ORIGINAL pCi/g	2σ ERR (COUNT)	MDA pCi/g	QUALI- FIERS	RPD	3σ PROT TOT LIMIT
Technetium 99	-0.109	0.70	1.3	0.50	υ	TC	0.065	0.24	0.65	ט	-	

202-S REDOX Misc. Waste-Other Solid

QC-DUP#1 30709	

DUPLICATES

Page 2

SUMMARY DATA SECTION

Page 14

Lab id <u>TMANC</u>

Protocol <u>Hanford</u>

Version <u>Ver 1.0</u>

Form <u>DVD-DUP</u>

Version <u>3.06</u>

Report date <u>05/21/99</u>

N903098-01

BOTK47

DATA SHEET

SDG	7101	Client/Case no	Hanford	SDG-H0362
Contact	L.A. Johnson		TRB-SBB-207925	
Lab sample id	N903098-01	Client sample id	BOTK47	
Dept sample id	7101-001	Location/Matrix	202-S REDOX	SOLID
Received	03/19/99	Collected	03/09/99 09:30	
% solids	100.0	Custody/SAF No	B99-038-19 E	399-038

ANALYTE	CAS NO	RESULT pCi/g	2σ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI- FIERS	TEST
Gross Alpha	12587-46-1	0.098	1.1	2.4	10	U	80A
Gross Beta	12587-47-2	-2.96	4.1	7.3	10	U	808
Technetium 99	14133-76-7	0.065	0.24	0.65	0.50	υ	TC
Uranium 233/234	U-233/234	0.024	0.032	0.061	0.30	υ	U
Uranium 235	15117-96-1	0	0.019	0.074	0.30	U	บ
Uranium 238	U-238	0.016	0.016	0.061	0.30	U	U
Plutonium 238	13981-16-3	0.005	0.018	0.035	0.050	υ	PU
Plutonium 239/240	PU-239/240	0	0.018	0.043	0.050	U	PU
Total Strontium	SR-RAD	-0.008	0.15	0.21	1.0	U	SR
Potassium 40	13966-00-2	U		1.6		Ū	GAM
Cobalt 60	10198-40-0	U		0.11	0.050	U	GAM
Cesium 137	10045-97-3	υ		0.089	0.050	U	GAM
Europium 152	14683-23-9	ប		0.23	0.10	υ	GAM
Europium 154	15585 - 10-1	U		0.27	0.10	U	GAM
Europium 155	14391-16-3	Ŭ		0.22	0.10	ט	GAM
Radium 226	13982-63-3	U		0.23	0.10	υ	GAM
Americium 241	14596-10-2	U		0.22		U	GAM
Uranium 238	U-238	U		11		U	GAM
Uranium 235	15117-96-1	U		0.34		ับ	GAM

202-S REDOX Misc. Waste-Other Solid

DATA SHEETS
Page 1
SUMMARY DATA SECTION
Page 15

 Lab id TMANC

 Protocol Hanford

 Version Ver 1.0

 Form DVD-DS

 Version 3.06

 Report date 05/21/99

BOTK48

DATA SHEET

	7101 L.A. Johnson	Client/Case no Case no	Hanford TRB-SBB-207925	SDG-H0362
Lab sample id	N903098-02	Client sample id	BOTK48	
Dept sample id	7101-002	Location/Matrix	202-S REDOX	SOLID
Received	03/19/99	Collected	03/08/99 11:30	
% solids	100.0	Custody/SAF No	B99-038-19	B99-038

ANALYTE	CAS NO	RESULT pCi/g	2σ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI- FIERS	TEST
Gross Alpha	12587-46-1	5.80	4.0	5.0	10	J	A08
Gross Beta	12587-47-2	6.32	4.3	6.7	10	U	80B
Technetium 99	14133-76-7	0.182	0.17	0.46	0.50	Ü	TC
Uranium 233/234	U-233/234	0.443	0.093	0.034	0.30		U
Uranium 235	15117-96-1	0	0.011	0.041	0.30	U	U
Uranium 238	U-238	0.408	0.092	0.034	0.30		U
Plutonium 238	13981-16-3	-0.005	0.009	0.035	0.050	U	PU
Plutonium 239/240	PU-239/240	0	0.009	0.035	0.050	บ	PU
Total Strontium	SR-RAD	-0.011	0.10	0.18	1.0	U	SR
Potassium 40	13966-00-2	4.00	1.2	0.83			GAM
Cobalt 60	10198-40-0	U		0.071	0.050	U	GAM
Cesium 137	10045-97-3	บ		0.063	0.050	U	GAM
Europium 152	14683-23-9	U		0.15	0.10	Ū	GAM
Europium 154	15585-10-1	U		0.20	0.10	U	GAM
Europium 155	14391-16-3	ט		0.094	0.10	υ	GAM
Radium 226	13982-63-3	0.311	0.11	0.12	0.10		GAM
Thorium 228	14274-82-9	0.461	0.087	0.087			GAM
Americium 241	14596-10-2	บ		0.049		U	GAM
Uranium 238	U-238	U		7.0		U	GAM
Uranium 235	15117-96-1	U		0.15		U	GAM

202-S REDOX Misc. Waste-Other Solid

DATA SHEETS

Page 2

SUMMARY DATA SECTION

Page 16

Lab id TMANC

Protocol Hanford

Version Ver 1.0

Form DVD-DS

Version 3.06

Report date 05/21/99

N903098-03

DATA SHEET

B0TK49

	7101 L.A. Johnson	Client/Case no	Hanford SDG-HO: TRB-SBB-207925	362
Lab sample id Dept sample id Received	N903098-03	Client sample id Location/Matrix	BOTK49 202-S REDOX SOI 03/09/99 10:30	LID

ANALYTE	CAS NO	RESULT pCi/g	2σ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI- FIERS	TEST
Gross Alpha	12587-46-1	-0.305	1.1	2.6	10	Ü	A08
Gross Beta	12587-47-2	-0.692	3.3	5.8	10	U	80B
Technetium 99	14133-76-7	0.031	0.11	0.31	0.50	U	TC
Uranium 233/234	U-233/234	0.030	0.030	0.057	0.30	U	U
Uranium 235	15117-96-1	0	0.018	0.069	0.30	U	U
Uranium 238	U-238	0.007	0.015	0.057	0.30	U	U
Plutonium 238	13981-16-3	-0.004	0.009	0.034	0.050	U	PU
Plutonium 239/240	PU-239/240	-0.004	0.009	0.034	0.050	U	PU
Total Strontium	SR-RAD	-0.042	0.11	0.19	1.0	U	SR
Potassium 40	13966-00-2	บ		1.3		U	GAM
Cobalt 60	10198-40-0	U		0.086	0.050	U	GAM
Cesium 137	10045-97-3	0.111	0.075	0.092	0.050		GAM
Europium 152	14683-23-9	U		0.20	0.10	U	GAM
Europium 154	15585-10-1	Ū		0.26	0.10	U	GAM
Europium 155	14391-16-3	ט		0.16	0.10	U	GAM
Americium 241	14596-10-2	Ū		0.17		U	GAM
Uranium 238	Ŭ-238	บ		9.9		Ū	GAM
Uranium 235	15117-96-1	ט		0.25		U	GAM

202-S REDOX Misc. Waste-Other Solid

DATA SHEETS
Page 3
SUMMARY DATA SECTION
Page 17

Lab id <u>TMANC</u>

Protocol <u>Hanford</u>

Version <u>Ver 1.0</u>

Form <u>DVD-DS</u>

Version <u>3.06</u>

Report date <u>05/21/99</u>

N903098-04

BOTK50

DATA SHEET

	7101 L.A. Johnson	Client/Case no Case no	Hanford SD TRB-SBB-207925	G-H0362
Lab sample id Dept sample id	7101-004	Client sample id	202-S REDOX	SOLID
% solids	03/19/99 100.0	Collected Custody/SAF No	03/09/99 10:10 B99-038-18 B99-038	_

ANALYTE	CAS NO	RESULT pCi/g	2σ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI- FIERS	TEST
Gross Alpha	12587-46-1	0.014	1.8	4.0	10	Ū	80A
Gross Beta	12587-47-2	-2.68	3.9	6.9	10	Ū	80B
Technetium 99	14133-76-7	0.202	0.33	0.90	0.50	U	TC
Uranium 233/234	U-233/234	0.055	0.048	0.060	0.30	U	U
Uranium 235	15117-96-1	0.010	0.019	0.073	0.30	U	U
Uranium 238	U-238	0.016	0.016	0.060	0.30	U	Ū
Plutonium 238	13981-16-3	-0.010	0.010	0.046	0.050	U	PU
Plutonium 239/240	PU-239/240	0.014	0.029	0.046	0.050	U	PU
Total Strontium	SR-RAD	0.084	0.12	0.19	1.0	U	SR
Potassium 40	13966-00-2	U		1.5		U	GAM
Cobalt 60	10198-40-0	υ		0.16_	0.050	U	GAM
Cesium 137	10045-97-3	υ		0.13	0.050	U	GAM
Europium 152	14683-23-9	U		0.24	0.10	U	GAM
Europium 154	15585-10-1	υ		0.43	0.10	ប	GAM
Europium 155	14391-16-3	U		0.16	0.10	U	GAM
Americium 241	14596-10-2	U		0.085		Ū	GAM
Uranium 238	U-238	U		18		U	GAM
Uranium 235	15117-96-1	U		0.26		Ü	GAM

202-S REDOX Misc. Waste-Other Solid

DATA SHEETS
Page 4
SUMMARY DATA SECTION
Page 18

Lab id <u>TMANC</u>

Protocol <u>Hanford</u>

Version <u>Ver 1.0</u>

Form <u>DVD-DS</u>

Version <u>3.06</u>

Report date <u>05/21/99</u>

SAMPLE DELIVERY GROUP H0362

Test <u>PU</u> Matrix <u>SOLID</u>

SDG <u>7101</u>

Contact <u>L.A. Johnson</u>

METHOD SUMMARY

PLUTONIUM, ISOTOPIC IN SOLIDS
ALPHA SPECTROSCOPY

Client <u>Hanford</u>
Contract <u>TRB-SBB-207925</u>

Case no SDG-H0362

RESULTS

	LAB	RAW SUF-		Plutonium	Plutonium
CLIENT SAMPLE ID	SAMPLE ID	TEST FIX	PLANCHET	238	239/240
Preparation batch 6880-	010				
BOTK47			24.04.004		
BUIK47	N903098-01		7101-001	U	U
BOTK48	N903098-02		7101-002	U	U
BOTK49	N903098-03		7101-003	Ü	U
BOTK50	N903098-04		7101-004	U	U
BLK (QC ID=30389)	N903098-06		7101-006	U	0.042 J
LCS (QC ID=30388)	N903098-05		7101-005	ok	ok
Duplicate (N903098-01)	N903098-07		7101-007	- U	~ U
			 .		
Nominal values and limi	ts from metho	d RD	Ls (pCi/g)	0.050	0.050
202-S REDOX Misc. Waste	-Other Solid				
and o Report Figure . Musec	other borre				

METHOD PERFORMANCE

	LAB	RAW	SUF-	MAX MDA	ALIQ	PREP	DILU-	YIELD	EFF	COUNT	FWHM	DRIFT	DAYS		ANAL-	
CLIENT SAMPLE ID	SAMPLE ID	TEST	FIX	pCi/g	g	FAC	TION	¥	*	min	keV	KeV	HELD	PREPARED	YZED	DETECTOR
Preparation batch 6880-	010 2σ pr	ep er	ror 5.	0 % Rei	ference	Lab N	loteboo!	k 6880	pg.:	10						
B0TK47	N903098-01			0.043	0.500			103		529			35	04/12/99	04/13	SS-002
BOTK48	N903098-02			0.035	0.500			97		529			36	04/12/99	04/13	SS-005
B0TK49	N903098-03			0.034	0.500			99		529			35	04/12/99	04/13	SS-006
B0TK50	N903098-04			0.046	0.500			93		529			35	04/12/99	04/13	SS-007
BLK (QC ID=30389)	N903098-06			0.030	1.00			88		666				04/12/99	04/14	SS-041
LCS (QC ID=30388)	N903098-05			0.028	1.00			81		529				04/12/99	04/13	SS-001
Duplicate (N903098-01)	N903098-07			0.054	0.500			91		524			35	04/12/99	04/13	SS-057
(QC ID=30390)																
				72.1.0												
Nominal values and limit	ts from metho	od		0.050	1.00			20-10	5	10	100		180			

PROCEDURES	REFERENCE	PUPLATE
	EP-060	Soil Preparation, rev 0
	EP-070	Soil Dissolution, rev 0
ļ	EP-940	Plutonium Purification, rev 0
	EP-008	Heavy Elements Electroplating, rev 0

AVERAGES ± 2 SD MDA 0.039 ± 0.019
FOR 7 SAMPLES YIELD 93 ± 15

METHOD SUMMARIES

Page 1

SUMMARY DATA SECTION

Page 19

Protocol <u>Hanford</u>

Version <u>Ver 1.0</u>

Form <u>DVD-CMS</u>

Version <u>3.06</u>

Report date <u>05/21/99</u>

Lab id TMANC

SAMPLE DELIVERY GROUP H0362

METHOD SUMMARY

URANIUM, ISOTOPIC IN SOIL
ALPHA SPECTROSCOPY

Client <u>Hanford</u>

Contract TRB-SBB-207925

Case no SDG-H0362

RESULTS

	LAB	RAW SUF-	=	1: Uranium	2: Uranium	3: Uranium		RESULT RATIOS (%)				
CLIENT SAMPLE ID	SAMPLE ID	TEST FIX	PLANCHET	233/234	235	238		1÷3	2σ	2÷3	2σ	
Preparation batch 6880-	010	"		· · · · · · · · · · · · · · · · · · ·							_	
B0TK47	N903098-01		7101-001	U	υ	υ						
BOTK48	N903098-02		7101-002	0.443	U	0.408		109	33	0	3	
BOTK49	N903098-03		7101-003	U	υ	Ü						
BOTK50	N903098-04		7101-004	U	ប	U						
BLK (QC ID=30389)	N903098-06		7101-006	U	บ	U						
LCS (QC ID=30388)	N903098-05		7101-005	ok	ok	ok						
Duplicate (N903098-01)	N903098-07		7101-007	- U	- U	- U						
Nominal values and limi	ts from metho	od RE	Ls (pCi/g)	0.30	0.30	0.30		100		4		
202-S REDOX Misc. Waste	-Other Solid		_				Averages	109		0		

METHOD PERFORMANCE

Test U Matrix SOLID

SDG 7101

Contact L.A. Johnson

CLIENT SAMPLE ID	LAB SAMPLE ID	RAW TEST	SUF-	MAX MDA pCi/q	ALIQ g	PREP	DILU- TION	*		COUNT	FWHM keV			PREPARED	ANAL- YZED	DETECTOR
		1001		pc1/9	9	I'AC	1104	ъ		111111	Kev	Kev	неш	PREPARED	IZED	DETECTOR
Preparation batch 6880-	010 2σ pr	ep er	ror 5.	0 % Ref	erence	Lab N	lotebool	c 6880	pg.:	10						
BOTK47	N903098-01			0.074	1.00			92		159			29	04/07/99	04/07	SS-010
BOTK48	N903098-02			0.041	1.00			92		268			31	04/07/99	04/08	SS-003
BOTK49	N903098-03			0.069	1.00			102		159			29	04/07/99	04/07	SS-011
BOTK50	N903098-04			0.073	1.00			93		159			29	04/07/99	04/07	SS-012
BLK (QC ID=30389)	N903098-06			0.075	1.00			93		159				04/07/99	04/07	SS-015
LCS (QC ID=30388)	N903098-05			0.25	1.00			103		159				04/07/99	04/07	SS-013
Duplicate (N903098-01)	N903098-07			0.069	1.00			100		159			29	04/07/99	04/07	SS-016
(QC ID=30390)																
Nominal values and limit	ts from metho	d		0.30	1.00			30-109	5	150	100		180			

	PROCEDURES	REFERENCE	UPLATE
ļ		EP-060	Soil Preparation, rev 0
		EP-070	Soil Dissolution, rev 0
		EP-910	Uranium Purification, rev 0
		EP-008	Heavy Elements Electroplating, rev 0
Į			

AVERAGES ± 2 SD MDA 0.093 ± 0.14

FOR 7 SAMPLES YIELD 96 ± 10

METHOD SUMMARIES
Page 2
SUMMARY DATA SECTION

Page 20

 Lab id
 TMANC

 Protocol
 Hanford

 Version
 Ver 1.0

 Form
 DVD-CMS

 Version
 3.06

 Report date
 05/21/99

SAMPLE DELIVERY GROUP H0362

Test <u>SR</u> Matrix <u>SOLID</u> SDG 7101 Contact L.A. Johnson

METHOD SUMMARY

TOTAL STRONTIUM IN SOIL BETA COUNTING

· Client <u>Hanford</u>

Contract TRB-SBB-207925

Case no SDG-H0362

RESULTS

	LAB	RAW SUF-	Total		
CLIENT SAMPLE ID	SAMPLE ID	TEST FIX PLANCHET	Strontium		
Preparation batch 6880-	010				
B0TK47	N903098-01	7101-001	U	•	
BOTK48	N903098-02	7101-002	ט		
B0TK49	N903098-03	7101-003	Ü		
B0TK50	N903098-04	7101-004	U		
BLK (QC ID=30389)	N903098-06	7101-006	U		
LCS (QC ID=30388)	N903098-05	7101-005	ok		
Duplicate (N903098-01)	N903098-07	7101-007	- U		
		76-78-36-36-36-36-36-36-36-36-36-36-36-36-36-			
Nominal values and limi	ts from method	RDLs (pCi/g)	1.0		
202-S REDOX Misc. Waste	-Other Solid				

METHOD PERFORMANCE

	LAB	RAW	SUF-	Max Mda	ALIQ	PREP	DILU-	YIELD	EFF	COUNT	FWHM	DRIFT	DAYS		ANAL-	
CLIENT SAMPLE ID	SAMPLE ID	TEST	FIX	pCi/g	a	FAC	TION	ŧ	\$	min	keV	KeV	HELD	PREPARED	YZED	DETECTOR
Preparation batch 6880-0	010 2σ pr	ep er	ror 10	.0 % Ref	erence	Lab N	oteboo	k 6880	pg.	1.0						
BOTK47	N903098-01			0.21	1.00			78		400			31	04/09/99	04/09	GRB-217
BOTK48	N903098-02			0.18	1.00			85		200			32	04/09/99	04/09	GRB-206
B0TK49	N903098-03			0.19	1.00			76		200			31	04/09/99	04/09	GRB-207
BOTK50	N903098-04			0.19	1.00			84		200			31	04/09/99	04/09	GRB-208
BLK (QC ID=30389)	N903098-06			0.18	1.00			77		200				04/09/99	04/09	GRB-217
LCS (QC ID=30388)	N903098-05			0.20	1.00			76		400				04/09/99	04/09	GRB-205
Duplicate (N903098-01)	N903098-07			0.19	1.00			76		200			31	04/09/99	04/09	GRB-218
(QC ID=30390)																
4-						•										
Nominal values and limit	s from metho	od		1.0	1.00					100			180			

PROCEDURES	RP-500	Strontium - Initial Separation, rev 0
	RP-519	Strontium-89,90 Demounting and Yttrium
		Purification, rev 0

AVERAGES ± 2 SD MDA 0.19 ± 0.021 FOR 7 SAMPLES YIELD 79 ± 8

METHOD SUMMARIES Page 3 SUMMARY DATA SECTION

Page 21

Lab id TMANC Protocol <u>Hanford</u> Version Ver 1.0 Form DVD-CMS Version 3.06 Report date <u>05/21/99</u>

SAMPLE DELIVERY GROUP H0362

Test <u>TC</u> Matrix <u>SOLID</u>

SDG <u>7101</u>

Contact <u>L.A. Johnson</u>

METHOD SUMMARY

TECHNETIUM 99 IN SOIL
BETA COUNTING

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0362

RESULTS

	LAB	RAW	SUF-		Technet	tium
CLIENT SAMPLE ID	SAMPLE ID	TEST	FIX	PLANCHET	99	
Preparation batch 6880-0)10					
BOTK47	N903098-01		A 1	7101-001	υ	
BOTK48	N903098-02		Al	7101-002	U	
B0TK49	N903098-03		A 1	7101-003	U	
BOTK50	N903098-04		Al	7101-004	U	
BLK (QC ID=30708)	N903098-09			7101-009	Ū	
LCS (QC ID=30707)	N903098-08			7101-008	ok	
Duplicate (N903098-01)	N903098-10			7101-010	-	U

METHOD PERFORMANCE

	LAB	RAW	SUF-	MDA	ALIQ	PREP	DILU-	AIETD	EFF	COUNT	FWHM	DRIFT	DAYS		ANAL-	
CLIENT SAMPLE ID	SAMPLE ID	TEST	FIX	pCi/g	g	FAC	TION	ş	¥	min	keV	KeV	HELD	PREPARED	YZED	DETECTOR
Preparation batch 6880-0)10 2 <i>a</i> pr	en er	ror 1	0.0 % Re	eference	Lab N	ot.eboo	k 6880	pq.	10						
ВОТК47	N903098-01	.ор от	A1	0.65				50		129			71	05/13/99	05/19	GRB-231
BOTK48	N903098-02		A1		1.00			74		101			71	05/13/99	05/18	GRB-218
B0TK49	N903098-03		A1	0.31	1.00			109		101			69	05/13/99	05/17	GRB-218
BOTK50	N903098-04		Al	0.90	1.00			37		101			70	05/13/99	05/18	GRB-220
BLK (QC ID=30708)	N903098-09			0.27	2.00			62		101				05/13/99	05/18	GRB-230
LCS (QC ID=30707)	N903098-08			0.30	2.00			56		101				05/13/99	05/17	GRB-220
Duplicate (N903098-01)	N903098-10			1.3	1.00			27		101			69	05/13/99	05/17	GRB-218
(QC ID=30709)																
Nominal values and limit	ts from metho	od		0.50	2.00			20-10	5	50		•	180			

PROCEDURE	S REFERENCE	TC99TRLSC
	EP~060	Soil Preparation, rev 0
	EP-020	Sample Leach For Technetium-99, rev 0
	EP-540	Technetium-99 Purification, rev 0

AVERAGES ± 2 SD MDA 0.60 ± 0.77

FOR 7 SAMPLES YIELD 59 ± 54

METHOD SUMMARIES

Page 4

SUMMARY DATA SECTION

Page 22

Protocol <u>Hanford</u>

Version <u>Ver 1.0</u>

Form <u>DVD-CMS</u>

Version <u>3.06</u>

Report date <u>05/21/99</u>

Lab id TMANC

SAMPLE DELIVERY GROUP H0362

Test <u>80A</u> Matrix <u>SOLID</u>

SDG <u>7101</u>

Contact <u>L.A. Johnson</u>

METHOD SUMMARY

GROSS ALPHA IN SOIL
GAS PROPORTIONAL COUNTING

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0362

RESULTS

CLIENT SAMPLE ID	LAB SAMPLE ID	RAW SUE		Gross A	lpha
Preparation batch 6880-0	010				
BOTK47	N903098-01	80	7101-001	U	
BOTK48	N903098-02	80	7101-002	5.80	J
B0TK49	N903098-03	80	7101-003	U	
BOTK50	N903098-04	80	7101-004	U	
BLK (QC ID=30389)	N903098-06	80	7101-006	U	
LCS (QC ID=30388)	N903098-05	80	7101-005	ok	
Duplicate (N903098-01)	N903098-07	80	7101-007	_	Ü

METHOD PERFORMANCE

	LAB	RAW	SUF- M	DA ALIQ	PREP	DILU-	RESID	EFF	COUNT	FWHM	DRIFT	DAYS		ANAL-	
CLIENT SAMPLE ID	SAMPLE ID	TEST	FIX pCi	/g g	FAC	TION	mg	ŧ	min	keV	KeV	HELD	PREPARED	YZED	DETECTOR
Preparation batch 6880-	010 2σ pr	ep er	ror 20.0 %	Reference	Lab l	Noteboo	k 6880	pg.	10						
BOTK47	N903098-01	80	2.	0.100			3		100			34	04/07/99	04/12	GRB-116
BOTK48	N903098-02	80	5.	0.100			109		100			35	04/07/99	04/12	GRB-111
BOTK49	N903098-03	80	2.	0.100			2		100			35	04/07/99	04/13	GRB-113
BOTK50	N903098-04	80	4.	0.100			69		100			34	04/07/99	04/12	GRB-114
BLK (QC ID=30389)	N903098-06	80	3.	0.100			32		100				04/07/99	04/12	GRB-116
LCS (QC ID=30388)	N903098-05	80	4.	0.100			31		100				04/07/99	04/12	GRB-115
Duplicate (N903098-01)	N903098-07	80	2.	0.100			2		100			34	04/07/99	04/12	GRB-111
(QC ID=30390)															
															
Nominal values and limi	ts from metho	od	10	0.100			5-15	0	100			180			

PROCEDURES R	EFERENCE	EPA900.0
E	P-060	Soil Preparation, rev 0
E	P-070	Soil Dissolution, rev 0
E	P-170	Preparation of Solids for Gross Alpha and Gross
		Beta Counting, rev 1

AVERAGES ± 2 SD MDA 3.3 ± 2.1

FOR 7 SAMPLES RESIDUE 35 ± 81

METHOD SUMMARIES

Page 5

SUMMARY DATA SECTION

Page 23

Lab id <u>TMANC</u>

Protocol <u>Hanford</u>

Version <u>Ver 1.0</u>

Form <u>DVD-CMS</u>

Version <u>3.06</u>

Report date <u>05/21/99</u>

SAMPLE DELIVERY GROUP H0362

Test	80B	Matrix	SOLID
SDG	7101		
Contact	L.A.	Johnson	1

METHOD SUMMARY

GROSS BETA IN SOIL
GAS PROPORTIONAL COUNTING

Client	Hanford
Contract	TRB-SBB-207925
Case no	SDG-H0362

RESULTS

	LAB	RAW SUF-				
CLIENT SAMPLE ID	SAMPLE ID	TEST FIX	PLANCHET	Gross	Beta	
						 ⁻
Preparation batch 6880-	010					
B0TK47	N903098-01	80	7101-001	U		
BOTK48	N903098-02	80	7101-002	U		
B0TK49	N903098-03	80	7101-003	U		
BOTK50	N903098-04	80	7101-004	U		
BLK (QC ID=30389)	N903098-06	80	7101-006	U		
LCS (QC ID=30388)	N903098-05	80	7101-005	ok		
Duplicate (N903098-01)	N903098-07	80	7101-007	-	υ	

METHOD PERFORMANCE

	LAB	RAW	SUF-	MDA	ALIQ	PREP	DILU-	RESID	EFF	COUNT	FWHM	DRIFT	DAYS		ANAL-	
CLIENT SAMPLE ID	SAMPLE ID	TEST	FIX	pCi/g	д	FAC	TION	πg	*	min	keV	KeV	HELLD	PREPARED	YZED	DETECTOR
Preparation batch 6880-	010 2σ pr	ep er	ror 15	.0 % 1	Reference	Lab N	loteboo	k 6880	pg.	10						
BOTK47	N903098-01	80		7.3	0.100			3		100			34	04/07/99	04/12	GRB-116
BOTK48	N903098-02	80		6.7	0.100			109		100			35	04/07/99	04/12	GRB-111
BOTK49	N903098-03	80		5.8	0.100			2		100			35	04/07/99	04/13	GRB-113
B0TK50	N903098-04	80		6.9	0.100			69		100			34	04/07/99	04/12	GRB-114
BLK (QC ID=30389)	N903098-06	80		7.4	0.100			32		100				04/07/99	04/12	GRB-116
LCS (QC ID=30388)	N903098-05	80		5.8	0.100			31		100				04/07/99	04/12	GRB-115
Duplicate (N903098-01)	N903098-07	80		6.2	0.100			2		100			34	04/07/99	04/12	GRB-111
(QC ID=30390)																
Nominal values and limi	ts from metho	od.		10	0.100			5-15	0	100			180			

REFERENCE	EPA900.0
EP-060	Soil Preparation, rev 0
EP-070	Soil Dissolution, rev 0
EP-170	Preparation of Solids for Gross Alpha and Gross
	Beta Counting, rev 1
	EP-060 EP-070

AVERAGES ± 2 SD MDA 6.6 ± 1.3

FOR 7 SAMPLES RESIDUE 35 ± 81

METHOD SUMMARIES

Page 6

SUMMARY DATA SECTION

Page 24

SAMPLE DELIVERY GROUP H0362

Test <u>GAM</u> Matrix <u>SOLID</u>

SDG <u>7101</u>

Contact <u>L.A. Johnson</u>

METHOD SUMMARY

GAMMA SCAN

GAMMA SPECTROSCOPY

Client <u>Hanford</u>

Contract TRB-SBB-207925
Case no SDG-H0362

RESULTS

Preparation batch 6880-	010					
B0TK47	N903098-01	7101-001	U		U	
BOTK48	N903098-02	7101-002	U		U	
BOTK49	N903098-03	7101-003	U		0.111	
BOTK50	N903098-04	7101-004	U		U	
BLK (QC ID=30389)	N903098-06	7101-006	U		U	
LCS (QC ID=30388)	N903098-05	7101-005			ok	
Duplicate (N903098-01)	N903098-07	7101-007	-	U	_	U

METHOD PERFORMANCE

	LAB		SUF-	MAX MDA	-	PREP		YIELD						DUDDADED	ANAL-	DDED CHOOL
CLIENT SAMPLE ID	SAMPLE ID	TEST	FIX	pCi/g	9	FAC	TION	*	*	min	keV	KeV	HELL	PREPARED	YZED	DETECTOR
Preparation batch 6880-	010 2σ pı	ep er	ror 19	i.0 % Red	ference	Lab N	loteboo:	k 6880	pg.	10						
BOTK47	N903098-01			0.19	71.8					403			28	03/26/99	04/06	JR,03,00
B0TK48	N903098-02			0.17	138					402			37	03/26/99	04/14	JR,01,00
B0TK49	N903098-03			0.17	31.6					306			28	03/26/99	04/06	PD,04,00
BOTK50	N903098-04			0.31	35.7					428			28	03/26/99	04/06	PD,01,00
BLK (QC ID=30389)	N903098-06			0.020	750					463				03/26/99	04/06	JR,07,00
LCS (QC ID=30388)	N903098-05			0.008	750					424				03/26/99	04/14	JR,04,00
Duplicate (N903098-01)	N903098-07			0.20	71.8					424			36	03/26/99	04/14	JR,07,00
(QC ID=30390)																
Nominal values and limi	ts from metho	od		0.050	750					100			180		•	

PROCEDURES	REFERENCE	GAMMAHI
	EP-060	Soil Preparation, rev 0
	EP-100	Ge(Li) Preparation for Environmental Samples,
		rev 0

AVERAGES ± 2 SD MDA 0.15 ± 0.21

FOR 7 SAMPLES YIELD ±

METHOD SUMMARIES
Page 7
SUMMARY DATA SECTION
Page 25

Lab id TMANC

Protocol Hanford

Version Ver 1.0

Form DVD-CMS

Version 3.06

Report date 05/21/99

SDG 7101 _______Contact L.A. Johnson

REPORT GUIDE

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0362

SAMPLE SUMMARY

The Sample and QC Summary Reports show all samples, including QC samples, reported in one Sample Delivery Group (SDG).

The Sample Summary Report fully identifies client samples and gives the corresponding lab sample identification. The QC Summary Report shows at the sample level how the lab organized the samples into batches and generated QC samples. The Preparation Batch and Method Summary Reports show this at the analysis level.

The following notes apply to these reports:

- * LAB SAMPLE ID is the lab's primary identification for a sample.
- * DEPARTMENT SAMPLE ID is an alternate lab id, for example one assigned by a radiochemistry department in a lab.
- * CLIENT SAMPLE ID is the client's primary identification for a sample. It includes any sample preparation done by the client that is necessary to identify the sample.
- * QC BATCH is a lab assigned code that groups samples to be processed and QCed together. These samples should have similar matrices.

QC BATCH is not necessarily the same as SDG, which reflects samples received and reported together.

* All Lab Control Samples, Method Blanks, Duplicates and Matrix Spikes are shown that QC any of the samples. Due to possible reanalyses, not all results for all these QC samples may be relevant to the SDG. The Lab Control Sample, Method Blank, Duplicate, Matrix Spike and Method Summary Reports detail these relationships.

REPORT GUIDES

Page 1
SUMMARY DATA SECTION

Page 26

Lab id <u>TMANC</u>

Protocol <u>Hanford</u>

Version <u>Ver 1.0</u>

Form <u>DVD-RG</u>

Version <u>3.06</u>

Report date <u>05/21/99</u>

SDG	7101	
Contact	L.A. Johnson	

REPORT GUIDE

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0362

PREPARATION BATCH SUMMARY

The Preparation Batch Summary Report shows all preparation batches in one Sample Delivery Group (SDG) with information necessary to check the completeness and consistency of the SDG.

The following notes apply to this report:

- * The preparation batches are shown in the same order as the Method Summary Reports are printed.
- Only analyses of planchets relevant to the SDG are included.
- * Each preparation batch should have at least one Method Blank and LCS in it to validate client sample results.
- * The QUALIFIERS shown are all qualifiers other than U, J, B, L and H that occur on any analysis in the preparation batch. The Method Summary Report has these qualifiers on a per sample basis.

These qualifiers should be reviewed as follows:

- X Some data has been manually entered or modified. Transcription errors are possible.
- P One or more results are 'preliminary'. The data is not ready for final reporting.
- 2 There were two or more results for one analyte on one planchet imported at one time. The results in DVD may not be the same as on the raw data sheets.

Other lab defined qualifiers may occur. In general, these should be addressed in the SDG narrative.

REPORT GUIDES

Page 2

SUMMARY DATA SECTION

Page 27

Lab id TMANC

Protocol Hanford

Version Ver 1.0

Form DVD-RG

Version 3.06

Report date 05/21/99

SDG 7101
Contact L.A. Johnson

REPORT GUIDE

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0362

WORK SUMMARY

The Work Summary Report shows all samples, including QC samples, and all relevant analyses in one Sample Delivery Group (SDG). This report is often useful as supporting documentation for an invoice.

The following notes apply to this report:

- * TEST is a code for the method used to measure associated analytes. Results and related information for each analyte are on the Data Sheet Report. In special cases, a test code used in the summary data section is not the same as in associated raw data. In this case, both codes are shown on the Work Summary.
- * SUFFIX is the lab's code to distinguish multiple analyses (recounts, reworks, reanalyses) of a fraction of the sample. The suffix indicates which result is being reported. An empty suffix normally identifies the first attempt to analyze the sample.
- * The LAB SAMPLE ID, TEST and SUFFIX uniquely identify all supporting data for a result. The Method Summary Report for each TEST has method performance data, such as yield, for each lab sample id and suffix and procedures used in the method.
- * PLANCHET is an alternate lab identifier for work done for one test. It, combined with the TEST and SUFFIX, may be the best link to raw data.
- * For QC samples, only analyses that directly QC some regular sample are shown. The Lab Control Sample, Method Blank, Duplicate, Matrix Spike and Method Summary Reports detail these relationships.
- * The SAS (Special Analytical Services) Number is a client or lab assigned code that reflects special processing for samples, such as rapid turn around. Counts of tests done are lists by SAS number since it is likely to affect prices.

REPORT GUIDES

Page 3

SUMMARY DATA SECTION

Page 28

Lab id <u>TMANC</u>

Protocol <u>Hanford</u>

Version <u>Ver 1.0</u>

Form <u>DVD-RG</u>

Version <u>3.06</u>

Report date <u>05/21/99</u>

SDG 7101
Contact L.A. Johnson

REPORT GUIDE

Client <u>Hanford</u>
Contract <u>TRB-SBB-207925</u>
Case no <u>SDG-H0362</u>

DATA SHEET

The Data Sheet Report shows all results and primary supporting information for one client sample or Method Blank. This report corresponds to both the CLP Inorganics and Organics Data Sheet.

The following notes apply to this report:

- * TEST is a code for the method used to measure an analyte. If the TEST is empty, no data is available; the analyte was not analyzed for.
- * The LAB SAMPLE ID and TEST uniquely identify work within the Summary Data Section of a Data Package. The Work Summary and Method Summary Reports further identify raw data that underlies this work.

The Method Summary Report for each TEST has method performance data, such as yield, for each Lab Sample ID and a list of procedures used in the method.

- * ERRORs can be labeled TOTAL or COUNT. TOTAL implies a preparation (non-counting method) error has been added, as square root of sum of squares, to the counting error denoted by COUNT. The preparation errors, which may vary by preparation batch, are shown on the Method Summary Report.
- * A RESULT can be 'N.R.' (Not Reported). This means the lab did this work but chooses not to report it now, possibly because it was reported at another time.
- * When reporting a Method Blank, a RESULT can be 'N.A.' (Not Applicable). This means there is no reported client sample work in the same preparation batch as the Blank's result. This is likely to occur when the Method Blank is associated with reanalyses of selected work for a few samples in the SDG.

The following qualifiers are defined by the DVD system:

U The RESULT is less than the MDA (Minimum Detectable Activity).

REPORT GUIDES
Page 4
SUMMARY DATA SECTION
Page 29

Lab id <u>TMANC</u>

Protocol <u>Hanford</u>

Version <u>Ver 1.0</u>

Form <u>DVD-RG</u>

Version <u>3.06</u>

Report date <u>05/21/99</u>

SDG 7101
Contact L.A. Johnson

GUIDE, cont.

Client Hanford
Contract TRB-SBB-207925

Case no SDG-H0362

DATA SHEET

If the MDA is blank, the ERROR is used as the limit.

- ${\tt J}$ $\,$ The RESULT is less than the RDL (Required Detection Limit) and no U qualifier is assigned.
- B A Method Blank associated with this sample had a result without a U flag and, after correcting for possibly different aliquots, that result is greater than or equal to the MDA for this sample.

Normally, B is not assigned if U is. When method blank subtraction is shown on this report, B flags are assigned based on the unsubtracted values while U's are assigned based on the subtracted ones. Both flags can be assigned in this case.

For each sample result, all Method Blank results in the same preparation batch are compared. The Method Summary Report documents this and other QC relationships.

- L Some Lab Control Sample that QC's this sample had a low recovery. The lab can disable assignment of this qualifier.
- H Similar to 'L' except the recovery was high.
- P The RESULT is 'preliminary'.
- X Some data necessary to compute the RESULT, ERROR or MDA was manually entered or modified.
- 2 There were two or more results available for this analyte. The reported result may not be the same as in the raw data.

Other qualifiers are lab defined. Definitions should be in the SDG narrative.

The following values are underlined to indicate possible problems:

* An MDA is underlined if it is bigger than its RDL.

REPORT GUIDES

Page 5

SUMMARY DATA SECTION

Page 30

Lab id TMANC
Protocol Hanford
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 05/21/99

SAMPLE DELIVERY GROUP H0362

SDG 7101
Contact L.A. Johnson

GUIDE, cont.

Client	Hanford
Contract	TRB-SBB-207925
Case no	SDG-H0362

DATA SHEET

- * An ERROR is underlined if the 1.645 sigma counting error is bigger than both the MDA and the RESULT, implying that the MDA may not be a good estimate of the 'real' minimum detectable activity.
- * A negative RESULT is underlined if it is less than the negative of its 2 sigma counting ERROR.
- * When reporting a Method Blank, a RESULT is underlined if greater than its MDA. If the MDA is blank, the 2 sigma counting error is used in the comparison.

REPORT GUIDES

Page 6
SUMMARY DATA SECTION

Page 31

Lab id <u>TMANC</u>

Protocol <u>Hanford</u>

Version <u>Ver 1.0</u>

Form <u>DVD-RG</u>

Version <u>3.06</u>

Report date <u>05/21/99</u>

SDG	7101		
Contact	<u>L</u> .A.	Johnson	_

REPORT GUIDE

Client <u>Hanford</u>
Contract <u>TRB-SBB-207925</u>
Case no <u>SDG-H0362</u>

LAB CONTROL SAMPLE

The Lab Control Sample Report shows all results, recoveries and primary supporting information for one Lab Control Sample.

The following notes apply to this report:

- * All fields in common with the Data Sheet Report have similar usage. Refer to its Report Guide for details.
- * An amount ADDED is the lab's value for the actual amount spiked into this sample with its ERROR an estimate of the error of this amount.

An amount added is underlined if its ratio to the corresponding RDL is outside protocol specified limits.

- * REC (Recovery) is RESULT divided by ADDED expressed as a percent.
- * The first, computed limits for the recovery reflect:
 - 1. The error of RESULT, including that introduced by rounding the result prior to printing.

If the limits are labeled (TOTAL), they include preparation error in the result. If labeled (COUNT), they do not.

- 2. The error of ADDED.
- 3. A lab specified, per analyte bias. The bias changes the center of the computed limits.
- * The second limits are protocol defined upper and lower QC limits for the recovery.
- * The recovery is underlined if it is outside either of these ranges.

REPORT GUIDES

Page 7

SUMMARY DATA SECTION

Page 32

Lab id TMANC

Protocol Hanford

Version Ver 1.0

Form DVD-RG

Version 3.06

Report date 05/21/99

SDG 7101
Contact L.A. Johnson

REPORT GUIDE

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0362

DUPLICATE

The Duplicate Report shows all results, differences and primary supporting information for one Duplicate and associated Original sample.

The following notes apply to this report:

* All fields in common with the Data Sheet Report have similar usage. This applies both to the Duplicate and Original sample data. Refer to the Data Sheet Report Guide for details.

If the Duplicate has data for a TEST and the lab did not do this test to the Original, the Original's RESULTs are underlined.

* The RPD (Relative Percent Difference) is the absolute value of the difference of the RESULTs divided by their average expressed as a percent.

If both RESULTs are less than their MDAs, no RPD is computed and a '-' is printed.

For an analyte, if the lab did work for both samples but has data for only one, the MDA from the sample with data is used as the other's result in the RPD.

* The first, computed limit is the sum, as square root of sum of squares, of the errors of the results divided by the average result as a percent, hence the relative error of the difference rather than the error of the relative difference. The errors include those introduced by rounding the RESULTs prior to printing.

If this limit is labeled TOT, it includes the preparation error in the RESULTS. If labeled CNT, it does not.

This value reported for this limit is at most 999.

- * The second limit for the RPD is the larger of:
 - 1. A fixed percentage specified in the protocol.

REPORT GUIDES
Page 8
SUMMARY DATA SECTION
Page 33

Lab id TMANC
Protocol Hanford
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 05/21/99

SDG 7101
Contact L.A. Johnson

GUIDE, cont.

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0362

DUPLICATE

- 2. A protocol factor (typically 2) times the average MDA as a percent of the average result. This limit applies when the results are close to the MDAs.
- * The RPD is underlined if it is greater than either limit.
- * If specified by the lab, the second limit column is replaced by the Difference Error Ratio (DER), which is the absolute value of the difference of the results divided by the quadratic sum of their one sigma errors, the same errors as used in the first limit.

Except for differences due to rounding, the DER is the same as the RPD divided by the first RPD limit with the limit scaled to 1 sigma.

* The DER is underlined if it is greater than the sigma factor, typically 2 or 3, shown in the header for the first RPD limit.

REPORT GUIDES

Page 9

SUMMARY DATA SECTION

Page 34

Lab id <u>TMANC</u>

Protocol <u>Hanford</u>

Version <u>Ver 1.0</u>

Form <u>DVD-RG</u>

Version <u>3.06</u>

Report date <u>05/21/99</u>

SDG 7101
Contact L.A. Johnson

REPORT GUIDE

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0362

MATRIX SPIKE

The Matrix Spike Report shows all results, recoveries and primary supporting information for one Matrix Spike and associated Original sample.

The following notes apply to this report:

* All fields in common with the Data Sheet Report have similar usage. This applies both to the Spiked and Original sample data. Refer to the Data Sheet Report Guide for details.

If the Spike has data for a TEST and the lab did not do this test to the Original, the Original's RESULTs are underlined.

* An amount ADDED is the lab's value for the actual amount spiked into the Spike sample with its ERROR an estimate of the error of this amount.

An amount is underlined if its ratio to the corresponding RDL is outside protocol specified limits.

- * REC (Recovery) is the Spike RESULT minus the Original RESULT divided by ADDED expressed as a percent.
- * The first, computed limits for the recovery reflect:
 - The errors of the two RESULTs, including those introduced by rounding them prior to printing.

If the limits are labeled (TOTAL), they include preparation error in the result. If labeled (COUNT), they do not.

- 2. The error of ADDED.
- 3. A lab specified, per analyte bias. The bias changes the center of the computed limits.
- * The second limits are protocol defined upper and lower QC limits

REPORT GUIDES

Page 10

SUMMARY DATA SECTION

Page 35

SAMPLE DELIVERY GROUP H0362

SDG 7101
Contact L.A. Johnson

GUIDE, cont.

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0362

MATRIX SPIKE

for the recovery.

These limits are left blank if the Original RESULT is more than a protocol defined factor (typically 4) times ADDED. This is a way of accounting for that when the spike is small compared to the amount in the original sample, the recovery is unreliable.

* The recovery is underlined (out of spec) if it is outside either of these ranges.

REPORT GUIDES

Page 11

SUMMARY DATA SECTION

Page 36

Lab id TMANC

Protocol Hanford

Version Ver 1.0

Form DVD-RG

Version 3.06

Report date 05/21/99

SDG 7101
Contact L.A. Johnson

REPORT GUIDE

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0362

METHOD SUMMARY

The Method Summary Report has two tables. One shows up to five results measured using one method. The other has performance data for the method. There is one report for each TEST, as used on the Data Sheet Report.

The following notes apply to this report:

* Each table is subdivided into sections, one for each preparation batch. A preparation batch is a group of aliquots prepared at roughly the same time in one work area of the lab using the same method.

There should be Lab Control Sample and Method Blank results in each preparation batch since this close correspondence makes the QC meaningful. Depending on lab policy, Duplicates need not occur in each batch since they QC sample dependencies such as matrix effects.

* The RAW TEST column shows the test code used in the raw data to identify a particular analysis if it is different than the test code in the header of the report. This occurs in special cases due to method specific details about how the lab labels work.

The Lab Sample or Planchet ID combined with the (Raw) Test Code and Suffix uniquely identify the raw data for each analysis.

* If a result is less than both its MDA and RDL, it is replaced by just 'U' on this report. If it is greater than or equal to the RDL but less than the MDA, the result is shown with a 'U' flag.

The J and X flags are as on the data sheet.

- * Non-U results for Method Blanks are underlined to indicate possible contamination of other samples in the preparation batch. The Method Blank Report has supporting data.
- * Lab Control Sample and Matrix Spike results are shown as: ok, No data, LOW or HIGH, with the last two underlined. 'No data'

REPORT GUIDES
Page 12
SUMMARY DATA SECTION
Page 37

Lab id <u>TMANC</u>

Protocol <u>Hanford</u>

Version <u>Ver 1.0</u>

Form <u>DVD-RG</u>

Version <u>3.06</u>

Report date <u>05/21/99</u>

SDG 7101
Contact L.A. Johnson

GUIDE, cont.

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0362

METHOD SUMMARY

means no amount ADDED was specified. 'LOW' and 'HIGH' correspond to when the recovery is underlined on the Lab Control Sample or Matrix Spike Report. See these reports for supporting data.

- * Duplicate sample results are shown as: ok, No data, or OUT, with the last two underlined. 'No data' means there was no original sample data found for this duplicate. 'OUT' corresponds to when the RPD is underlined on the Duplicate Report. See this report for supporting data.
- * If the MDA column is labeled 'MAX MDA', there was more than one result measured by the reported method and the MDA shown is the largest MDA. If not all these results have the same RDL, the MAX MDA reflects only those results with RDL equal to the smallest one.

MDAs are underlined if greater than the printed RDL.

- * Aliquots are underlined if less than the nominal value specified for the method.
- * Prepareation factors are underlined if greater than the nominal value specified for the method.
- * Dilution factors are underlined if greater than the nominal value specified for the method.
- * Residues are underlined if outside the range specified for the method. Residues are not printed if yields are.
- * Yields, which may be gravimetric, radiometric or some type of recovery depending on the method, are underlined if outside the range specified for the method.
- * Efficiencies are underlined if outside the range specified for the method. Efficiencies are detector and geometry dependent so this test is only approximate.

REPORT GUIDES

Page 13

SUMMARY DATA SECTION

Page 38

 Lab id TMANC

 Protocol Hanford

 Version Ver 1.0

 Form DVD-RG

 Version 3.06

 Report date 05/21/99

SDG 7101
Contact L.A. Johnson

GUIDE, cont.

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0362

METHOD SUMMARY

- * Count times are underlined if less than the nominal value specified for the method.
- * Resolutions (as FWHM; Full Width at Half Max) are underlined if greater than the method specified limit.
- * Tracer drifts are underlined if their absolute values are greater than the method specified limit. Tracer drifts are not printed if percent moistures are.
- * Days Held are underlined if greater than the holding time specified in the protocol.
- * Analysis dates are underlined if before their planchet's preparation date or, if a limit is specified, too far after it.

For some methods, ratios as percentages and error estimates for them are computed for pairs of results. A ratio column header like '1 \div 3' means the ratio of the first result column and the third result column.

Ratios are not computed for Lab Control Sample, Method Blank or Matrix Spike results since their matrices are not necessarily similar to client samples'.

The error estimate for a ratio of results from one planchet reflects only counting errors since other errors should be correlated. For a ratio involving different planchets, if QC limits are computed based on total errors, the error for the ratio allows for the preparation errors for the planchets.

The ratio is underlined (out of spec) if the absolute value of its difference from the nominal value is greater than its error estimate. If no nominal value is specified, this test is not done.

For Gross Alpha or Gross Beta results, there may be a column showing the sum of other Alpha or Beta emitters. This sum includes all relevant

REPORT GUIDES
Page 14
SUMMARY DATA SECTION
Page 39

Lab id <u>TMANC</u>

Protocol <u>Hanford</u>

Version <u>Ver 1.0</u>

Form <u>DVD-RG</u>

Version <u>3.06</u>

Report date <u>05/21/99</u>

SDG 7101 Contact L.A. Johnson

GUIDE, cont.

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0362

METHOD SUMMARY

results in the DVD database, whether reported or not. Results in the sum are weighted by a particles/decay value specified by the lab for each relevant analyte. Results less than their MDA are not included. No sums are computed for Lab Control, Method Blank or Matrix Spike samples since their various planchets may not be physically related.

If a ratio of total isotopic to Gross Alpha or Beta is shown, the error for the ratio reflects both the error in the Gross result and the sum, as square root of sum of squares, of the errors in the isotopic results.

For total elemental uranium or thorium results, there may be a column showing the total weight computed from associated isotopic results. Ignoring results less than their MDAs, this is a weighted sum of the isotopic results. The weights depend on the molecular weight and half-life of each isotope so as to convert activities (decays) to weight (atoms).

If a ratio of total computed to measured elemental uranium or thorium is shown, the error for the ratio reflects the errors in all the measurements.

REPORT GUIDES

Page 15

SUMMARY DATA SECTION

Page 40

Lab id TMANC
Protocol Hanford
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 05/21/99

Bechtel Hanford	I Inc.	CI	HAIN OF CUS	TODY/S	SAMPLI	E ANAL	YSIS .	REQUES	I'	В	99-038- ₍₈	Page <u>†</u>	ot <u>1</u>
Collector Douglas L. Bowers	JOALE		any Contact mas M. Brown	Telepho 509-3	ne No. 176-1547			Project Coordi TRENT, SJ	nator	Price Code		Data T	urnaround
Project Designation 202-S REDOX Miscellaneo		Sampl	ing Location -S REDOX					SAF No. B99-038				45	Days
Ice Chest No.		Field I	Logbook No. 2-/309-3	 3	· · · · · · · · · · · · · · · · · · ·	<u> </u>		Method of Ship Overnight Ca		d Ex			
Shipped To	O NOTECH	Offsite	Property No.		···			Bill of Lading/			· · · · · · · · · · · · · · · · · · ·		
								COA BA	2/5	2AZ.	W 28	,	
POSSIBLE SAMPLE HAZ/	ARDS/REMARKS		Preservation	None	None	None	CCOL 4	c coaluc					}
			Type of Container	aG	aG	aG	аG	46					
		,	No. of Container(s)	Ι	1	I		!					
Special Handling and/or Sto None noted on SAF.	rage	į	Volume	60mL	60mL	500mL	60ml	IZOM					
	SAMPLE ANAL	YSIS		Activity Scan	See item (1) in Special Instructions.	Gamma Spectroscopy [Cesium-137, Cobalt-60, Europium-154, Europium-155]	SEE ITEM (1) (2) SPECII INST,						
Sample No.	Matrix *	Sample Date	Sample Time	B.C. P. S.	est Hally, S	April 100 per			A SPEC				
BOTK49	Other Solid	3-9-99	1030		ļ	<u> </u>	X	L				BOT	159
BOTK50	r r	39-99	1010					X				307	160
												<u> </u>	<u> </u>
CHAIN OF POSSESSION	Date/Time	Sign/Prin		nte/Time	(1) G	IAL INSTR ross Alpha; Gr Sr: Technetium	ross Beta; Is	S sotopic Plutonium;	Isotopic (Jranium: Stronti	um-89,90	Matrix Seil Water	<u>.</u>
SJGALE ASSAL		Received By	TREOTS 3.	15-99 tc/Time 10 -19-99 tc/Time	(2)	GAMMA	SPEC	TROSCOJ DING BAI PMETAL Ss/VOA	MPLE 15, S	CTIVITY TO REG ULFIDE MI-VOF	SCAN, CRA E,	Vapor Other Solid Other Liquic	
Relinquished By	Date/Time	Received By	Dat	te/Time				_					
LABORATORY Received By SECTION				Tit	e						1:	Date Time	
FINAL SAMPLE Disposal M. DISPOSITION	ethod					Dispos	sed By				i i	Date Imie	

Bechtel Hanford	inc.	C	HAIN OF CUS	TODY/S	AMPLI	E ANAL	YSIS I	REQUES	T	· F	399 - 038- ₍ ૧	Page <u>1</u>	of <u>1</u>	
Collector Douglas L. Bowers 5.	I GALE		oany Contact	Telepho 509-3	ne No. 76-1547			Project Coord	linator	Price Code		Data Ti	urnaround	
Project Designation 202-S REDOX Miscellaneou	ıs Waste - Other Solid	203	ling Location 2-S REDOX					6AF No. 399-038				45	Days	
re Chest No SML 7	264	Field	Logbook No. 2-1309-	3						ethod of Shipment Overnight Carrier - Fed Ex				
te Chest No SML THERM O	NUTEC	Offsie	e Property No.	Ï	Bill of Lading/Air Bill No.									
								COA BRI	SZA	ZWZ	රි '			
POSSIBLE SAMPLE HAZA	RDS/REMARKS		Preservation	None	None	None								
			Type of Container	aG	aG	aG								
Special Handling and/or Stor	age		No. of Container(s) Volume	60mL	1 60mL	500mL								
i i	SAMPLE ANA	LYSIS		Activity Scan	See item (1) in Special Instructions.	Gamma Spectroscopy {Cesium-137, Cobalt-60, Europium-154, Europium-155}								
Sample No.	Matrix *	Sample Date	Sample Time	# / **	To provide		Fig.	¥ Pagusas	PART OF	Brong pak	i i i i i i i i i i i i i i i i i i i	7		
BOT 848	Other Solid	3-8-9	9 1/30	X	X	X						BOT	158	
BOTK47	1/	3-9-9	9 0930	X	X	X						1307	157	
											†			
HAIN OF POSSESSION		 Sign/Prin	it Names		ŀ	IAL INSTRI		nopic Plutonium	. Isotonia I	francium: Clums	i eo no	Matrix Soil	*	
inquished By JGALE Mobile inquished By	Date/Fime // Date/Fime		EX3.	nte/Time		Sr; Teclinctium		nopre i ratoritari	i, radiopie e	andige, short	IUII 140 7, 70 44	Water Vapor Other Solid Other Uiguid		
FRA EX 3	19-89 (D:C) Date/Time	Received By	Da - The Cover 3-19 Da	te/Time	9	-								
inquished By	Date/Time	Received By	Da	te/Time										
ABORATORY Received By SECTION		- 1		Tid	<u> </u>		 ,			 _		Date Time		
NAL SAMPLE Disposal Me	thod					Dispose	ed Bv					Pate Time		

	SHIP TO:	m (· 2 // /	Retec	h	HAZ	ARDOUS	MATERIAL (HMSR	•	CORD	Page 12	7/	
INST	Company	· /	- 366 ' 5 0	مانام	1	Originating (Facility	Originator Sig		1	Date		
l i	Address	<u>ر</u>	NI	ght A	111	Building		Danid Stoph 3/18/99					
NId	Rich	RICHMOND, CA 94804-00/D City, State, Zip				O Area _ 3	00_	FROM: WHC KEH PNL WOTHER BHA					
SHIPPING					,	OFFSITE C	NLY:	SHIP: TO COLLECT					
0,	Attention:	4	Joh	1450n 235- 2	172		Parcel Post	_	r Parcel Post		ght (Rail/Truck)	10 40 3	
		_ 	0-		<u>633</u> S/PACKAGII		Air (Passen	per)Air	r (Cargo) Co CONTEN		<u>20 COA BRIS</u> HIPTION	<u> </u>	
	Number of Containers	T	ype	DOT Spec	Package Dimensions	Quantity Pkg	Gross Wt Each Pkg	See 49 CF	R 172.101(c) Ha			-	
			ta (IP3	packey			Proper Ship N	Varne: Flamm	able	solid, orga	FMIC,	
		100		INN Pr.	5 gal	2-60m	814	Proper Ship Name: Flammable Solid, Drganic, M.O.S. Hazard Class: Division 4.1, PGII					
	/	l -	u,	1A2	30 cm die	1.500 m		i .	UN 1325				
		310	1 1	outer	45 cm ht	1/22 1		į.	ry Hazards: ルめ		1, 50 lid	.(1	
		WE	10/	- 0-	Dut 11	0.65 kg	TOTAL	List Labels Req'd/Applied Flammab (Div. 4.1					
_			1 w/			3-60ml		Proper Ship Name: Flamma by Solid, Organic, N.D.S.					
ESCRIPTION		lock		112	pachage 5 quil	1-120ml	914	Hazard Class: UN/NA No.:	Division		, PGIL		
RIP		144 512	186	_	30 cm de		. 0	ŀ	DIO 190				
DESC		div			45 cm ht		0/2	List Labels Req'd/Applied Flames b & Solid Div. 4					
-	<u> </u>	00	1.4		(0.8 kg	707.11	Proper Ship Name: Packaged Ber (IATA 415).					
SHIPMEN	Empo	986	164	Respon	54:509	-373-	800	Hazard Class:	and	TATA	State Va	TE TON	
SHII	1 '	197		133			** to sings.	UN/NA No.:		` / 4··~		.]	
							, market Surgive	List Secondar			5 54 mple		
	Total	1	1010	me 14	20 ml			List Secondary Hazards: BOTK48, BOTK47, List Labels Req'd/Applied BOTK50 + BOTK49					
	Total No. (Gross Wt of		Identify Pla							
		2.	٠.	17	145	1.	3						
					1-5	2	4	t					
				irers original o		Yes 💢 I	No 5	cribe Internal Packaging: 20 ml (or Smaller) 5/455 Sample					
				erioration or o	,	Yes Yes	40	is packed in IP3 can with					
				sealed, marke	7*	763	V	ermiculite cushioning and IP3					
	labell	ed to	meet D	OT requirem	ents 💢	Yes	Co	in packed in 1AZ dram with				volu.	
	ADIATION	Surv	ey No.		Date	RM	Signature	14.	Prin	t Name	21081105 11	7411012	
	RELEASE	/	Ust	Rad	wast.	w.	sce a	Hach	ed tot	al L	1ctivity.	april 13	
						CE	RTIFICA	TION					
	NITE A OTO I	.						erly classified, on for transport	•		shipment is within prescribed for:	the Limita-	
ľ	NTRACTOF RTIFICATION				regulations of t			•		X(P	assenger Cargo	_ □ NA ↓	
			Auth	ے orizing Signa	ture to id	HC	fauro	Print Nam	TONALD	1 /1	<u> </u>		
		<u> </u>		*		IIPMENTS	- ADDIT	IONAL APP	ROVAL REQU	IRED	P		
	· ·		B.L. N	lo.	Date Shipped	ETA	/	Routing		Specia	l Considerations		
	WHC	AFFIC			3/18/99	3/19	9 199	FE	()-X			ş.	
	WHC Traffic:					nego	<u> </u>	May 1	WHC Shipping:				

	SHIP TO:	e/mo	Peter	ch_	HAZARDOUS MATERIAL SHIPMENT RECORD (HMSR)						
INST.	Company				Originating Facility Originator Signature Date						
- 1	2030	2 W11	9h1.	Ave.	Building 🏖	3728	Daniel 3/18/99				
N.	Rich	mand	11 94	804-004			FROM:	WHIC TO KEH T	PNL COTHER B	II.	
SHIPPING	City Peace 71-				OFFSITE C	NLY:	SHIP: M PREPAID COLLECT				
တ	Lai	14-30	Lucon	!		Parcel Post	_ ~		reight (Rail/Truck)		
	Attention:	1510-	235-2	633		Air (Passen	ger) 🗌 Air		ERC-COA BRISC2	A 21/2	
		CC	NTAINERS	/PACKAGI	NG		CONTENT DESCRIPTION				
	Number of Containers	Туре	DOT Spec	Package Dimensions	Quantity Pkg	Gross Wt Each Pkg	1	R 172.101(c) Hazardous			
		metal can w	IP3	30 cm	1 (one)	21,	Proper Ship N	lame: Corrosive !	iguid, basic,		
	,	lock	inner	30 cm	bo Hy	3 /4	Hazard Class:	Class B, PG	I		
	/	sing inner.	49	X	500 ml	}		UN 3266			
		Fiber	outer	40 cm	total	/		y Hazards: None			
		bux					-	eq'd/Applied C(45	8		
		28.1					Proper Ship N	vame: builted	Dung of the an		
z					ļ	i	Hazard Class:	16-00-	193.154 Pacle	:451	
DESCRIPTION							UN/NA No.:	-07 TA	A 808 pade		
RIP							List Secondar	and	LATA STOTE		
ESC								Valid	tion US4-14		
١. ا							 	leq'd/Applied			
SHIPMENT	EM.	procent	7 145/	DUN86-	509-5	73- <i>58</i> 0	Proper Ship N	Name: Pkg Cr	ntains HET	5	
1PN	ERG	Non	Your ber		54		Hazard Class: Sample 10. BOTJT1				
S	•		* ."			i.	UN/NA No.:	•		` '	
	Tate	1 101	440 -	500 m	}		List Secondar	y Hataras.	ml total		
	1010	1 10(0	ANG -	SUU M	•		List Labels R	eq'd/Applied 🗸 🧸 🕽 [ome in pkg	•	
\	Total No.	Containers	Gross Wt of	Shipment	Identify Pla	cards Requ	(if applicable)				
	\	V _A	3	kg	1.	3					
	-				2	4					
	Material	in manufactu	irers original o	container:	Yes 📉	No <u>ح</u>	escribe Internal Packaging: 500 ml poly container packed in				
	ontaine	er free of dete	erioration or o	damage: 🄀	Yes	11	Liter glass overpack jar. / Liter Ja				
	. \	er acceptabilit	•	<i></i>	Yes	1/	uside IP3 inner container with remiculite sybent, IP3 packed				
	\	is packaged, led to meet D			Yes	V					
	+	Survey No.	· · · · · · · · · · · · · · · · · · ·	Date ·	Inside 49 Abirboard box wir						
		Not	Radio		- scc	atk	ached'	Time (value	Spacing / Eust	1 /01 /	
	4	70	tal A	ctivita	1 Re	purt	<u> </u>		q+vice,		
	1				CE	RTIFICA	TION				
	10						perly classified, on for transport		his shipment is within the lions prescribed for:	Limita-	
	43			regulations of t	, ,		•	· 1 ·	☑ Passenger ☐ Cargo [□NA	
		Aa.		How	11/1		سب ۱۹۰۰ - ۱۹	ne FONALD L. C.	Aircraft Aircraft Ausau Date: 3-18-	99	
	ا مسر ا	Autr	orizing Signa		JIDMENTS	_ ADDII		ROVAL REQUIRED	Date: 270		
		B.L. N		Date Shipped	ETA /	1	Routing		ecial Considerations		
	:			3/18/9	9 3/1	9/99	FF	T) - X			
		W	HC Traffic:	In	eg (-	130	nan te	WHC Shipping:			
	. 2	1 1			/		- /-				

	Th	IVMO.	Nutec	h	(HMSR) Page 2 of 2							
INST	Company				Originating Facility			Originator Signature		Date		
	Address	O Wrie	INT AL	Hurl	Building <u>3728</u>			Daniel St. JE	tin	3/18/99		
SHIPPING	Pich	mond (A 949	304-0040	Area 300			FROM: WHC KEH PNL DOTHER BHE				
불	City, State	, Zip			OFFSITE ONLY:			SHIP: PREPAID	COLLEC.	г		
S	Attention:	y Joh	4501		VIA: Parcel Post			Air Parcel Post		(Rail/Truck)		
	Attention:	310-2	35-26	33	Air (Passeng			ger) Air (Cargo) Cost Code: ERC. COA BRISCZAZUS				
	Number of	CC	NTAINER	S / PACKAGII Package		T 6	1844	CONTE	NT DESCRIPT	rion		
	Containers	Туре	DOT Spec	Dimensions	Quantity Pkg	Gross Each			lazardous Materi	ial Table		
		metal can w	IP3	Packey!	1-40ml	-1	ا _ر	Proper Ship Name: Flam	mable 11	guids n.o.s.		
		lock	inner	5 gal	1-60ml		3	Proper Ship Name: Flammah (a liquids, n.o.s. Hazard Class: Class 3, PGII				
	/ /	riva	1A2	drum	1-120ml			UN/NA No.: UN 199	•			
	·	inner,	outer	30 cm die	720 ml. total			List Secondary Hazards: Pol	-	ted biohenuls		
		dista dista		45 cm ht			ا آن			_ 1		
i		metal		outer	0.1/0			List Labels Reg'd/Applied C		,		
		can w/	IP3	Package	2-40ml 51		Ka	Proper Ship Name: Flau		quids, 11.0.5.		
NO	,	lock	INUPY,	55al	2-60mi	Ί.	0	Hazard Class: CL455 3	1, PG II			
1PT	[]	Inner,	IAZ	drom	1-500n	1'		UN/NA No.: UN 199				
DESCRIPTION		Steel	1 outer	30 cm dia	600 ml	Total		List Secondary Hazards: Polychloring ted biphory 13				
DE		drum		45 cm nT	cm h f. 600 m 1 Tokel List Secondary Hazards: Polyce List Labels Reg'd/Applied Cla		1455 34	ind Class9				
ENT								Proper Ship Name:				
ME	<u>,</u> .	٧,						Hazard Class:				
SHIPM		<u>.</u>						UN/NA No.:				
	·				<u> </u>		170 ₃₀ 15		•			
			-					List Secondary Hazards:				
	Total No. (Containers	Gross Wt of	Shipment	Identify Placards Requir							
	500	Pg	500									
	101	1012 10f 2			\			4				
			<u> </u>		Describe Internal Packaging:				1-12			
		in manufactu		· \	Yes No			<u> </u>	page	1012		
		r free of dete r acceptabilit		· -								
		is packaged,		7-								
	labell	ed to meet D	OT requirem	ents 🂢								
_	DIATION	Survey No.		Date	RM	Signatu	re	· Pr	int Name			
ł	ADIATION ELEASE	NA	Red	a a ction	0. 51		: 4	ached Total	1.4.	1. 0. 1. 15		
		700.	1.000	PACTIVE					JICTI VI	The parts		
	_					RTIF						
cc	NTRACTOR							erly classified, described, n for transport according		oment is within the Limita- escribed for:		
l	RTIFICATIO	to th	e applicable i	regulations of t	he Departme			•) //	Passe	enger Cargo NA		
		Auth	orizina Siana	turo:		50	2	Print Name	, ,,,,	Date:		
	<u> </u>	Aum	orizing Signa		1101455				JURER			
		B.L. N		Date Shipped	ETA	- AL	ו וטי ר	IONAL APPROVAL REQ		onsiderations		
		9			17			· · - · · · · · g	5,500			
	WHC .	RAFFIC		<u> </u>								
ļ		HC Traffic:					WHC Shipping	ı •				

i	SHIP TO:					HAZARDOUS MATERIAL SHIPMENT RECORD Page 1 of 2						
INST.	Company					Osiainatina	(HMSR) tage 1 ot a Originating Facility Originator Signature Date					
- 1	2030 Wright Avenue					Building 3779		Danag	181951	^^-	3)18/99	
Z	Richmond CA GIRalin					Area 3	Area 300		WHC 🗆	KEH P		= -
SHIPPING	City, State, Zip					OFFSITE C	ONLY:	SHIP: 🔽	PREPAID	COLL	ECT	
"	Attention: John S.D.						Parcel Post	= ' '	Parcel Post		ight (Rail/Truck)	_
-				235 - 2	L 33 E/PACKAGU		Air (Passen	T				
j	Number of Type			DOT Spec Package		Quantity Pkg	Gross Wt	CONTENT DESCRIPTION See 49 CFR 172.101(c) Hazardous Material Table **				+
		101	wol har	IP3 INVER, IAZ OUTER	Divm Bocm dia 45cm hts	1-40ml 1-60ml 1-500ml	5Kg	Proper Ship Name: Flamma DAS 3/18/99 Hazard Class: Class 3, F UN/NA No.: List Secondary Hazards: Polyc		nmeble Scorpt 3, PG II 93 olychlori	(10,0125, 4.0.5.	5
DESCRIPTION		<i>-8</i>	++1				<i>Grac</i>	Proper Ship N Hazard Class: UN/NA No. List Secondar	5 PKSFD tations 2 EV-060			
SHIPMENT	ERG Numbers: 128 (F)			Proper Ship Name: Tucludes FRE (qu. mad b) Hazard Class: Scup (Nomb (B5) UN/NA No.: BOTJR7, BOTJR				FRE HETS Jumbers OTJRB, BOTJR				
' }			,	,		,		List Secondar	y Hazards. 🥕	07J70	EBOTSTZ.	
					= 1920	Identify Pla	pasda Basui	List Labels Ru		nesty Control	or Return Order No.:	_
'	Total No. Containers Gross Wt of Shipment			None +xcepted (if applicable)				or Netalli Order No.:				
٠ }	3)	15 Kg			2		4				
	 -			,		<u> </u>	Describe Internal Packaging:					\dashv
. }				rers original o		7	No 50	Dust (0	Sug	Unx) gle	costaple	- {
				rioration or o y documente	T.	Yes Yes Containes personal in 723 marco					123 maer Ca	-
				sealed, marke	^		62	th VP1	muculi 1	esorbe	it material	
	labell	ed to	meet D	OT requirem	ents 😾	Yes	500	dJP3	664	ached.	un 1AZ du	n
 RA	DIATION	Surv	rey No.		Date	RM	Signature Signature	(er) - wi	Ham C	Print Name	ag moterial	\dashv
	ELEASE	1	lof	Radi	active	Sel	c. Ha	ched	70/c (de fine	1- 1- 15	
		<u>. </u>					RTIFICA		10100	TIC / TOT !	y production	\dashv
			This	is to certify t	that the above				described.	This	shipment is within the Limi	ta-
CONTRACTORS CERTIFICATION This is to certify that the above named packaged, marked and labeled and are to the applicable regulations of the De							per conditio	n for transport	•	tions	s prescribed for: lassenger	
			Auth	orizing Signat	cure: France	144	faur	Print Nam	e Kowac A	L Clau	501 Date: 3-17-99	
				FOR	OFFSITE SH	IIPMENTS	- ADDIT	IONAL APP	ROVAL RE	QUIRED		
			B.L. N	0.	Date Shipped	ETA /	,	Routing		Specia	l Considerations	\dashv
	whc	RAFFIC	 		3/18/59	3/19	1/94	FE	0-×			
		TR	W+	HC Traffic:	540	94/	150	un for	 WHC Shippir	ng:		_

SAMPLE RECEIPT CHECKLIST

SAMPLE RECEIPT										
Client: Beabtel Hanfurd Date/Time received 3-11-79 10:01										
COC No. B94-036-21, 22, 23, 37+38 B49-038-18-619										
Container I.D. No. SML-264 Requested TAT (Days) 45 P.O. Received Yes [] No []										
INSPECTION										
1. Custody seals on shipping container intact? Yes [] No [] N/A [1									
2. Custody seals on shipping container dated & signed? Yes [] No [] N/A [J									
3. Custody seals on sample containers intact? Yes [No [] N/A [3									
4. Custody seals on sample containers dated & signed? Yes [No [] N/A [3									
5. Cooler Temperature: Packing material is: Wet [] Dry [4										
6. Number of samples in shipping container:										
7. Number of containers per sample: (Or see CoC)										
8. Paperwork agrees with samples? Yes [No []										
9. Samples have: Tape [] Hazard labels [] Rad labels [2-] Appropriate sample labels []										
10. Samples are: In good condition [] Leaking [] Broken Container [] Missing [1									
11. Describe any anomalies:										
	\ 									
2-10 004										
13. Was P.M. notified of any anomalies? Yes [V] No [] Date 3-14-44										
14. Received by Melonso Date: 3-17-99 Time: 10:00										
LOGIN										
TNU W.O. No. Group No. Client W.O. No.										
PROGRAM MANAGER										
Sample holding times exceeded? Yes [] No []										
Client Notified: Name Date/time										